



## TNFD Glossary of Key Terms

Term	Definition
Abiotic flows	Abiotic flows are contributions to benefits from the environment that are not underpinned by, or reliant on, ecological characteristics and processes.  United Nations et al. (2021) System of Environmental-Economic Accounting - Ecosystem Accounting (SEEA EA)
Acute risk	Occurrence of short-term, specific events that change the state of nature. For example, oil spills, forest fires or pests affecting a harvest.  Adapted from Task Force on Climate-related Financial Disclosures (2017) Final Report: Recommendations on Climate-related Financial Disclosures, Financial Stability Board (2022) Final report: Supervisory and Regulatory Approaches to Climate-related Risks, Network for Greening the Financial System (2023) Nature-related Financial Risks: A Conceptual Framework to guide Action by Central Banks and Supervisors
Adaptation	Adjustment in natural or human systems to a new or changing environment that exploits beneficial opportunities or moderates negative effects.  Adapted from Fourth National Climate Assessment Glossary
Additional conservation actions	A broad range of activities intended to benefit biodiversity, where the effects or outcomes can be challenging to quantify.  United Nations Environment Programme – Finance Initiative (2021)  Guidance for Banks: Biodiversity Target-Setting
Additional disclosure metrics	Metrics suggested by the TNFD that a company or financial institution may choose to include in their disclosures, based on their specific industry, location and/or regulatory requirements in order to provide more specific information and strengthen disclosures. The list of additional metrics is not exhaustive – but illustrative – and other metrics will likely be required to disclose against all material nature related issues.

Term	Definition
Affected stakeholders / affected communities	People or groups that have been, or may be, affected by an organization's operations, products, services and value chains, including an organization's nature-related dependencies, impacts, risks and/or opportunities, and responses to those issues.  Affected communities can range from local communities living adjacent to the organization's operations or the site of its activities to those living at a distance but affected, for example, by nature loss, such as the loss of migratory species, or impact drivers, such as water or air pollution that the organization generates. Affected communities can include Indigenous Peoples who have internationally recognised rights related to their lands, territories, resources, cultures, traditional knowledge and the conduct of their affairs, and the right to Free, Prior and Informed Consent before activities affecting their lands may proceed.  Adapted from World Economic Forum (2022) Engaging Affected Stakeholders: The Emerging Duties of Board Members: Insight Report by the Global Future Council on Human Rights
Afforestation	Establishment of the forest through planting and/or deliberate seeding on land that, until then, was under a different land use, implies a transformation of land use from non-forest to forest.  Food and Agriculture Organization (2000) On Definitions of Forest and Forest Change
Agri-voltaic	Use of land for both agriculture and solar photovoltaic energy generation.  US Department of Agriculture Agrivoltaics: Coming Soon to a Farm Near You?
Aquaculture production	Growing of algae and other seaweeds; culturing or farming of aquatic organisms, such as fish, molluscs and crustaceans, in captive conditions that involve regular stocking, feeding and protecting against predators; this includes both capture-based aquaculture (CBA) and hatchery-based aquaculture (HBA) systems.  Food and Agriculture Organization of the United Nations (FAO) (2020) FAO Term Portal; GRI (2022) GRI 13: Agriculture, Aquaculture and Fishing Sectors
Aquaculture operation	A (commercially managed) venture that farms aquatic organisms.  Marine Stewardship Council (2023) MSC-MSCI Vocabulary v1.5

Term	Definition
Animal processing	Cleaning and washing animal products; processing milk; candling eggs; slaughtering animals for meat; deboning, cutting, smoking, and freezing meat; separating fur, skins, feathers and down.  GRI (2022) GRI 13: Agriculture, Aquaculture and Fishing Sectors
Animal protein	Large molecules made of amino acids found in animal foods.  Food and Agriculture Organization (2023) Nutrition
Annual revenue	Revenue is the gross inflow of economic benefits during a financial year arising from the course of the ordinary activities of an entity when those inflows result in increases in equity, other than increases relating to contributions from equity participants.  Adapted from International Financial Reporting Standards IAS 18 Revenue
Area of influence	The project area of influence is generally larger than the physical footprint of the project, and includes the area within which a project may potentially directly, indirectly, and cumulatively cause impacts to nature.  International Finance Corporation (IFC) (2012) Performance Standard 6 and The Cross Sector Biodiversity Institute (2015) Good Practices for the Collection of Biodiversity  Baseline Data
Area of high biodiversity value outside protected areas	Land with high biodiversity value as referred to in Article 7b(3) of <u>Directive 98/70/EC</u> of the European Parliament and of the Council (5).  European Commission (2023) <u>Commission Delegated Regulation (EU) 2022/1288</u>
Area controlled / managed	A clearly defined geographical space that an entity has the power to govern financially and operationally to obtain benefits from its activities.  Adapted from International Financial Reporting Standard Glossary
Assessment locations	Assessment locations include all sensitive locations and other locations where an organization may have material dependencies, impacts, risks and opportunities.  TNFD
Assessment metrics	Metrics used within an integrated internal process for identification and assessment of nature-related issues, such as the LEAP approach. These are not necessarily required for disclosure.  TNFD

Term	Definition
Assets	A present economic resource controlled by the entity as a result of past events and from which future economic benefits are expected to flow to the entity.  International Financial Reporting Standard (2015) Conceptual Framework: Elements of Financial Statements – Definitions and Recognition
Atmosphere	Atmosphere includes the gaseous medium and its suspended particulate liquids and solids above the land realm, extending to the altitudinal limits of life.  Keith, D et al (2020) IUCN Global Ecosystem Typology 2.0: Descriptive profiles for biomes and ecosystem functional groups
Baseline	Starting point or benchmark against which changes in the state of nature attributed to your business activities can be compared.  Adapted from Capitals Coalition (2016) Natural Capital Protocol
Benthic	Organisms living or in substrate in the bottom habitats of the marine deep ocean floor zone.  International Union for Conservation of Nature (2022) <u>IUCN Habitats Classification Scheme</u>
Biodiversity	The variability among living organisms from all sources, including, inter alia, terrestrial, marine and other aquatic ecosystems and the ecological complexes of which they are part; this includes diversity within species, between species and of ecosystems.  Convention on Biological Diversity (1992) Article 2
Biodiversity offsets	Biodiversity offsets are measurable conservation outcomes resulting from actions designed to compensate for significant residual adverse biodiversity impacts arising from project development after appropriate prevention and mitigation measures have been taken. The goal of biodiversity offsets is to achieve no net loss and preferably a net gain of biodiversity on the ground with respect to species composition, habitat structure and ecosystem function and people's use and cultural values associated with biodiversity.  Business and Biodiversity Offsets Programme (2012) Glossary, 2nd Updated Edition, CDP (2022) Forests Reporting Guidance, European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards
Biogenic	Produced by living organisms.  Adapted from Keith, D et al. (2020) IUCN Global Ecosystem Typology 2.0: Descriptive profiles for biomes and ecosystem functional groups

Term	Definition
Biogeochemical flows planetary boundary (nitrogen and phosphorous)	The biogeochemical cycles of nitrogen and phosphorus have been radically changed by humans as a result of many industrial and agricultural processes. Nitrogen and phosphorus are both essential elements for plant growth, so fertiliser production and application are the main concern.  Human activities now convert more atmospheric nitrogen into reactive forms than all of the Earth's terrestrial processes combined. Much of this new reactive nitrogen is emitted to the atmosphere in various forms rather than taken up by crops. When it is rained out, it pollutes waterways and coastal zones or accumulates in the terrestrial biosphere.  Stockholm Resilience Centre The Nine Planetary Boundaries  EU Platform on Sustainable Finance: Technical Working Group (2022) Supplementary: Methodology and Technical Screening Criteria
Biological feed conversion ratio (bFCR)	The biological feed conversion ratio describes the amount of feed required to produce one kilo of farmed fish.  The feed conversion ratio is the conventional measure of livestock production efficiency: the weight of feed intake divided by weight gained by the animal or fish.  The biological feed conversion ratio is used to define the biological efficiency of the feed (and/or animal). It removes any non-consumed feed and production losses from the calculation to allow for that focus on the biological efficiency.  International Fishmeal and Fishoil Organization (2020) IFFO Glossary
Biome	Global-scale zones, generally defined by the type of plant life that they support in response to average rainfall and temperature patterns e.g. tundra, coral reefs or savannas.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (2019) Global Assessment Report on Biodiversity and Ecosystem Services  For the purpose of metrics, biomes are defined in the IUCN Global Ecosystem Typology as the component of a realm united by a few common major ecological drivers that regulate major ecological functions. Biomes are derived from the top-down by subdivision of realms (Level 1)  See Keith A. et al. (2020) IUCN Global Ecosystem Typology 2.0: Descriptive profiles for biomes and ecosystem functional groups

Term	Definition
Biosecurity	A set of practices to minimise the introduction, establishment and spread of pathogens.  Aarattuthodiyil S, and Wise D (2017) <u>Biosecurity Practices on Fish Farms Need Beefing Up</u> , Seafood Alliance
Biosolids	Biosolids are a product of the wastewater treatment process. During wastewater treatment the liquids are separated from the solids. Those solids are then treated physically and chemically to produce a semisolid, nutrient-rich product known as biosolids.  US Environmental Protection Agency (2023) Basic Information about Biosolids
Brownfield	A brownfield site is any land or premises that has previously been used or developed and is not currently fully in use, although it may be partially occupied or utilised. It may also be vacant, derelict or contaminated. Therefore, a brownfield site is not available for immediate use without intervention.  Alker, S. et al. (2000) The Definition of Brownfield. Journal of Environmental Planning and Management 43: 49–69
Business model	An entity's system of transforming inputs through its activities into outputs and outcomes that aims to fulfil the entity's strategic purposes and create value for the entity and hence generate cash flows over the short, medium and long term.  International Financial Reporting Standard (2023) S1 General Requirements for Disclosure of Sustainability-related Financial Information
Capital expenditure (CapEx)	Funds used by a company to acquire or upgrade physical assets.
Capital flow and financing	Access to capital markets, improved financing terms or financial products connected to the management of nature-related dependencies, impacts, risks and opportunities.  TNFD
Catchment management agency	National or regional government agency that has the authority to make decisions on the allocation of water. This includes catchment management authorities, water resource management agencies, and catchment municipality councils.  Adapted from Meissner, R., Stuart-Hill, S., Nakhooda, Z. (2017) The Establishment of Catchment Management Agencies in South Africa with Reference to the Flussgebietsgemeinschaft Elbe: Some Practical Considerations, in: Karar, E. (Ed.), Freshwater Governance for the 21st Century, Global Issues in Water Policy. Springer International Publishing, Cham, pp. 15–28

Term	Definition
Certification	The action or process of providing a product with an official document attesting to a status or level of achievement against a certain standard.  CDP (2022) Forests Reporting Guidance
Certification programme	A programme that provides procured volumes of a product with an official document attesting to a status or level of achievement against a certain standard.  Adapted from CDP (2022) Forests Reporting Guidance
Chronic risk	Gradual changes to the state of nature. For example, pollution stemming from pesticide use or climate change.  Adapted from Task Force on Climate-related Financial Disclosures (2017) Final Report: Recommendations on Climate-related Financial Disclosures' Financial Stability Board (2022) Final Report: Supervisory and Regulatory Approaches to Climate-related Risks' Network for Greening the Financial System (2023), Nature-related Financial Risks: A Conceptual Framework to guide Action by Central Banks and Supervisors, Organisation for Economic Co-operation and Development (2023, forthcoming) A prudential framework for assessing nature-related financial risks: identifying and navigating biodiversity risks
Circular economy	An economic system in which the value of products, materials and other resources in the economy is maintained for as long as possible, enhancing their efficient use in production and consumption, thereby reducing the environmental impact of their use and minimising waste and the release of hazardous substances at all stages of their life cycle, including through the application of the waste hierarchy.  European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards Sustainability Reporting Standards
Circular material use rate	Recirculation of materials, components and products in practice after first use employing the following strategies (in order of preference):  i. maintenance/prolonged use; ii. reuse/redistribution; iii. refurbishment/remanufacturing; iv. recycling, composting, or anaerobic digestion.  The use rate is defined as the ratio of circular use of materials to overall use of materials.  European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards Sustainability Reporting Standards

Term	Definition
Community (ecological)	A community of plants and animals characterised by a typical assemblage of species and their abundances.
	Intergovernmental Panel on Climate Change (2007) <u>Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change</u> . Solomon, S., D. Qin, M. Manning, Z. Chen, M. Marquis, K.B. Averyt, M. Tignor and H.L. Miller (eds.). Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 996 pp
Community development programme	Plan that details actions to minimise, mitigate, or compensate for adverse social and/or economic impacts, and/or to identify opportunities or actions to enhance positive impacts of a project on the community.
	GRI (2022) GRI Standards Glossary
Compostable plastics	A packaging or packaging component is compostable if it is in compliance with relevant international compostability standards and if its successful post-consumer collection, sorting, and composting is proven to work in practice and at scale.
	Ellen MacArthur Foundation, UN Environment Programme (2022) New Plastics Economy Global Commitment
Conservation	An action taken to promote the persistence of ecosystems and biodiversity.
	Adapted from Levin, S. A. ed. (2009) <u>The Princeton Guide to Ecology</u> Princeton, NJ: Princeton University Press
Conversion	Change of a natural ecosystem to another land use or profound change in a natural ecosystem's species composition, structure, or function. Deforestation is one form of conversion (conversion of natural forests). Conversion includes severe degradation or the introduction of management practices that result in substantial and sustained change in the ecosystem's former species composition, structure, or function. Change to natural ecosystems that meets this definition is considered to be conversion regardless of whether or not it is legal.  Accountability Framework initiative (2020) Terms and Definitions
	Accountability Framework initiative (2020) Terms and Delinitions

Term	Definition
Core global disclosure metrics	Metrics to be included in all disclosures following the TNFD disclosure recommendations on a comply or explain basis. Core metrics are split into 'core global metrics' which all organizations should disclose, regardless of sector, and 'core sector metrics' which are specific to the sectors that organizations operate in (see below).  TNFD
Core sector disclosure metrics	Metrics relevant to most organizations in sectors defined by the SASB sector classification and included in TNFD disclosures that should be disclosed by all report preparers within the sector on a comply or explain basis.  TNFD
Critical habitat	Any area of the planet with high biodiversity conservation significance, based on the existence of habitat of significant importance to critically endangered or endangered species, restricted range or endemic species, globally significant concentrations of migratory and/or congregatory species, highly threatened and/or unique ecosystems and key evolutionary processes.  International Finance Corporation (2012) Performance Standard 6: Biodiversity Conservation and Sustainable Management of Living Natural Resources
Critical uncertainties	See 'uncertainty'
Crop processing	Cleaning, grading, hulling, pounding, and milling grains; soaking, heating and drying leaves; extracting and filtering oils.  GRI (2022) GRI 13: Agriculture, Aquaculture and Fishing Sectors
Cumulative impact	A change in the state of nature (direct or indirect) that occurs due to the interaction of activities of different actors operating in a landscape or freshwater / marine area.  Climate Disclosure Standards Borad (2021) Framework Application Guidance for Biodiversity-related Disclosures; Endangered Wildlife Trust (2020) The Biological Diversity Protocol; Capitals Coalition and Cambridge Conservation Initiative (2020) Integrated Biodiversity into Natural Capital Assessments; Business and Biodiversity Offset Programme (2012) Glossary





Term	Definition
Cut off dates (related to no- deforestation and no-conversion commitments)	The date after which deforestation or conversion renders a given area or production unit non-compliant with no-deforestation or no-conversion commitments, respectively.  Accountability Framework initiative (2020) Terms and Definitions
Decommissioning	A structured process of planning, preparation and execution, leading to the eventual removal from service or reuse of an asset, giving due consideration to the potential impact on the environment and communities. The term 'decommissioning' is intended to include the following activities:  • Abatement: safe removal of hazards, such as asbestos, polychlorinated biphenyls
	<ul><li>(PCBs), hydrocarbon, or hydrogen sulphide (H2S) from an asset</li><li>Demolition: the process and activities to remove an asset.</li></ul>
	<ul> <li>Remediation: a process to reduce or eliminate the impact on areas of land or water in order to restore environmental conditions to acceptable levels, with reference to regulatory or company standards as appropriate.</li> <li>Reclamation: the restoration of disturbed lands to similar pre-development condition,</li> </ul>
	other economically-productive use, or natural or semi-natural habitat.  International Petroleum Industry Environmental Conservation Association (2020)  Sustainability Reporting Guidance for the Oil and Gas Industry





Term	Definition
Deforestation	The conversion of forest to other land use independently of whether human-induced or not.
	Explanatory notes:
	Includes permanent reduction of the tree canopy cover below the minimum 10% threshold.
	2. Includes areas of forest converted to agriculture, pasture, water reservoirs, mining and urban areas.
	3. The term specifically excludes areas where the trees have been removed as a result of harvesting or logging, and where the forest is expected to regenerate naturally or with the aid of silvicultural measures.
	4. The term also includes areas where, for example, the impact of disturbance, overutilization or changing environmental conditions affects the forest to an extent that it cannot sustain a canopy cover above the 10% threshold.
	5. The concept of long-term is central to this definition and is defined as ten years.
	6. Note that to determine whether the removal of trees from an area is classed as deforestation, it is necessary to predict the future development of the area. If new forest trees are established in the near future, the land is classified as forest throughout the regeneration period. This regrowth is considered 'reforestation' and the full process 'conversion'. If, on the other hand, a sufficient density of trees is not established in the near future, or if land is converted to other land use, the area should be considered deforested.
	Food and Agriculture Organization (2020) Forest Resources Assessment - Terms and Definitions,
	Food and Agriculture Organization (2000) Forest Resources Assessment - Definitions of Forest Change Processes

Term	Definition
Deforestation-free / No deforestation	Commodity production, sourcing or financial investments that do not cause or contribute to deforestation (as defined by the Accountability Framework).
	<ul> <li>No-deforestation refers to no gross deforestation of natural forests, which the Accountability Framework specifies as the appropriate policy and goal on this topic for companies and supply chains.</li> </ul>
	• In the context of the Accountability Framework, deforestation refers to the loss of natural forest (see definition of deforestation).
	The AFi recognises the High Carbon Stock Approach (HCSA) as a practical tool to implement no-deforestation in the tropics, in contexts where the tool has been validated.*
	<ul> <li>The terms 'no-deforestation' and 'deforestation-free' are used in favour of 'zero deforestation' because 'zero' can imply an absolutist approach that may be at odds with the need sometimes to accommodate minimal levels of conversion at the site level in the interest of facilitating optimal conservation and production outcomes (see definition for minimal level of deforestation or conversion).</li> </ul>
	Accountability Framework Initiative (2020) <u>Terms and Definitions</u>
Degradation	Changes within a natural ecosystem that significantly and negatively affect its species composition, structure, and/or function and reduce the ecosystem's capacity to supply products, support biodiversity, and/or deliver ecosystem services. Degradation may be considered conversion if it: is large-scale and progressive or enduring; alters ecosystem composition, structure, and function to the extent that regeneration to a previous state is unlikely; or leads to a change in land use (e.g., to agriculture or other use that is not a natural forest or other natural ecosystem).  Accountability Framework initiative (2020) Terms and Definitions
Delta	An area of low, flat land where a river divides into several smaller rivers before flowing into
	the sea.  Adapted from Syvitski, J.P.M. (2008) Deltas at Risk. Sustain Sci 3, 23–32
Degraded grassland	Grassland where processes brought about by humans drive a persistent decline or loss in biodiversity, ecosystem functions or ecosystem service.
	Bardgett, R.D. et al. (2021) <u>Combatting Global Grassland Degradation</u> . Nature Reviews Earth & Environment 2, 720–735

Term	Definition
Dependencies (on nature)	Dependencies are aspects of environmental assets and ecosystem services that a person or an organization relies on to function. A company's business model, for example, may be dependent on the ecosystem services of water flow, water quality regulation and the regulation of hazards like fires and floods; provision of suitable habitat for pollinators, who in turn provide a service directly to economies; and carbon sequestration.  Adapted from Science Based Targets Network (2023) SBTN Glossary of Terms
Dependency pathway	A dependency pathway shows how a particular business activity depends upon specific features of natural capital. It identifies how observed or potential changes in natural capital affect the costs and/or benefits of doing business.  Capitals Coalition (2016) Natural Capital Protocol
Direct impacts	A change in the state of nature caused by a business activity with a direct causal link.  Climate Disclosure Standards Borad (2021) Framework Application Guidance for Biodiversity-related Disclosures, Endangered Wildlife Trust (2020) The Biological Diversity Protocol, Capitals Coalition and Cambridge Conservation Initiative (2020) Integrated Biodiversity into Natural Capital Assessments
Direct operations	All activities and sites (e.g. hydropower plants, buildings, mines, farms, stores) over which a company has operational or financial control.  TNFD
Dissolution time (in aquaculture)	The time elapsed from the tarpaulin is released until the plume is completely dissolved, i.e. the normalised concentration has fallen below the toxicity threshold everywhere  Sævik, P.N. et al. (2022) Modelling Chemical Releases from Fish Farms: Impact Zones,  Dissolution Time and Exposure Probability, ICES Journal of Marine Science, 79(1), 22–33
Disclosure metrics	Metrics required to be disclosed to market participants in line with the TNFD's disclosure recommendations.  Disclosure metrics are a sub-set of assessment metrics rather than a mutually exclusive set. Organizations may choose to disclose additional disclosure metrics or assessment metrics, beyond the suggested set of TNFD core disclosure metrics.  TNFD

Term	Definition
Disturbed area	A clearly defined geographical space that has been subject to human activity that has changed the lands surface, condition relative to a reference state.  TNFD
Double materiality	Double materiality has two dimensions, namely: impact materiality and financial materiality.  European Commission (2023) Annex 1 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards (ESRS E1)
Downstream	All activities that are linked to the sale of products and services produced by the company. This includes the use and re-use of the product and its end of life, including recovery, recycling, and final disposal.  Adapted from Science Based Targets Network (2023) SBTN Glossary of Terms
Downstream flow	The final hydrological flow regime once e-flows and flows for other water demands, such as irrigation and hydropower generation, have been combined.  Adapted from Niu, S.Q., Dudgeon, D., (2011) Environmental Flow Allocations in Monsoonal Hong Kong. Freshwater Biology 56, 1209–1230
Drivers of nature change	All external factors that affect nature, anthropogenic assets, nature's contributions to people and good quality of life. They include institutions and governance systems and other indirect and direct drivers (both natural and anthropogenic).  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services IPBES Glossary
Driving force	A force driving the possible outcome of a critical uncertainty that has a relatively high level of explanatory power in relation to the situation being assessed.  Van Der Heijden, Kees (2010) <u>Scenarios: The Art of Strategic Conversation</u>
Durable goods	Goods which have an expected lifetime of more than three years or that can be used more than once.  CDP (2023) Technical Note: Plastics Disclosure, CDP (2023) Water Security  Questionnaire

Term	Definition
Ecological / habitat connectivity	The degree to which the landscape facilitates the movement of organisms (animals, plant reproductive structures, pollen, pollinators, spores, etc.) and other environmentally important resources, such as nutrients and moisture, between similar habitats.  Connectivity is hampered by fragmentation.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services  IPBES Glossary
Ecosystem	A dynamic complex of plant, animal and microorganism communities and the non-living environment, interacting as a functional unit.  Convention on Biological Diversity (1992) Article 2; Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (2019) Global Assessment Report on Biodiversity and Ecosystem Services
Ecosystem assets	A form of environmental assets that relate to diverse ecosystems. These are contiguous spaces of a specific ecosystem type characterised by a distinct set of biotic and abiotic components and their interactions.  Adapted from United Nations et al. (2021) System of Environmental-Economic Accounting - Ecosystem Accounting (SEEA EA)
Ecosystem condition	The quality of an ecosystem measured by its abiotic and biotic characteristics. Condition is assessed by an ecosystem's composition, structure and function which, in turn, underpins the ecological integrity of the ecosystem, and supports its capacity to supply ecosystem services on an ongoing basis.  Adapted from United Nations et al. (2021) System of Environmental-Economic Accounting - Ecosystem Accounting (SEEA EA)
Ecosystem connectivity	The degree to which the landscape facilitates the movement of organisms (animals, plant reproductive structures, pollen, pollinators, spores, etc.) and other environmentally important resources, such as nutrients and moisture, between similar habitats.  Connectivity is hampered by fragmentation.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services IPBES Glossary
Ecosystem extent	Area coverage of a particular ecosystem, usually measured in terms of spatial area.  United Nations et al. (2021) System of Environmental-Economic Accounting - Ecosystem  Accounting

Term	Definition
Ecosystem function	The flow of energy and materials through the biotic and abiotic components of an ecosystem. This includes many processes such as biomass production, trophic transfer through plants and animals, nutrient cycling, water dynamics and heat transfer.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (2019) Global Assessment Report on Biodiversity and Ecosystem Services
Ecosystem health	Used to describe the condition of an ecosystem, by analogy with human health. Note that there is no universally accepted benchmark for a healthy ecosystem. Rather, the apparent health status of an ecosystem can vary, depending upon which metrics are employed to assess it and which societal aspirations are driving the assessment.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services IPBES Glossary
Ecosystem protection, restoration and regeneration opportunity	Activities that support the protection, regeneration or restoration of habitats and ecosystems, including areas both within and outside the organization's direct control.  TNFD
Ecosystem services	The contributions of ecosystems to the benefits that are used in economic and other human activity.  United Nations et al. (2021) System of Environmental-Economic Accounting - Ecosystem Accounting
Ecosystem stability risk	Risk of an event that leads to a destabilisation of a critical natural system, so it no longer can provide ecosystem services in the same manner as before. For example, tipping points are reached, regime shifts and/or ecosystem collapses occur that generate forms of physical and/or transition risk. This is one form of nature-related systemic risk.  Goldin, I & Mariathasan, M (2014) The Butterfly Defect: How Globalisation Creates Systemic Risks and What to do about it, International Risk Governance Centre (2018) IRGC Guidelines for the Governance of Systemic Risks, Kaufmann, G & Scott, K (2003) What Is Systemic Risk, and Do Bank Regulators Retard or Contribute to It?, Network for Greening the Financial System (2023) Nature-related Financial Risks: A Conceptual Framework to guide Action by Central Banks and Supervisors, Organisation for Economic Co-operation and Development (2023, forthcoming) A prudential framework for assessing nature related financial risks: identifying and navigating biodiversity risks

Term	Definition
Ecosystem type	TNFD refers to the IUCN Global Ecosystem Typology 2.0 that defines 25 biomes and 108 Ecosystem Functional Groups and reflects a distinct set of abiotic and biotic components and their interactions.  Keith A. et al. (2020) IUCN Global Ecosystem Typology 2.0: Descriptive Profiles for Biomes and Ecosystem Functional Groups
Efficient use of nature-related resources	Drawing from the Earth's limited resources in a sustainable manner while minimising impacts on nature.  Adapted from European Commission (2017) <u>Circular Economy</u>
Endangered species	Species considered to be facing a very high risk of extinction in the wild.  Adapted from International Union for Conservation of Nature (2012) IUCN Red List  Categories and Criteria: Version 3.1
Environmental assets	The naturally occurring living and non-living components of the Earth, together constituting the biophysical environment, which may provide benefits to humanity.  United Nations et al. (2021) System of Environmental-Economic Accounting - Ecosystem Accounting
Environmental flow (e-flow)	Environmental flows describe the quantity, timing, and quality of water flows required to sustain freshwater and estuarine ecosystems and the human livelihoods and wellbeing that depend on these ecosystems.  Adapted from World Metereological Organization (2019) Guidance on Environmental Flows - Integrating E-flow with Fluvial Geomorphology to Maintain Ecosystem Services
Environmental water	Water managed to deliver specific ecological outcomes or benefits. It may refer to specific water allocations or releases made for ecological purposes.  Adapted from Anderson, E.P., Jackson, S., Tharme, R.E., Douglas, M., Flotemersch, J.E., Zwarteveen, M., Lokgariwar et al. (2019) <u>Understanding Rivers and their Social Relations:</u> A critical Step to Advance Environmental Water Management. WIREs Water 6, e1381
Eutrophic	A river or stream where levels of nitrates and phosphates exceed natural thresholds.  Adapted from McDowell, R.W., Noble, A., Pletnyakov, P., Mosley, L.M. (2021) Global Database of Diffuse Riverine Nitrogen and Phosphorus Loads and Yields. Geoscience Data Journal 8, 132–143

Term	Definition
Eutrophication	The pollution of waterways with nutrient-rich water, causing harmful algal blooms and low oxygen (hypoxic) water.  US National Oceanic and Atmospheric Administration (NOAA) What is Eutrophication?
Expense	Decreases in assets, or increases in liabilities, that result in decreases in equity, other than those relating to distributions to holders of equity claims.  International Financial Reporting Standard (2015) Conceptual Framework: Elements of Financial Statements – Definitions and Recognition
Exploratory scenarios	Scenarios that describe a diverse set of plausible future states.  Task Force on Climate-related Financial Disclosures (2020) <u>Guidance on Scenario Analysis for Non-Financial Companies</u>
Exposure	The presence of people, livelihoods, species or ecosystems, environmental functions, services and resources, infrastructure, or economic, social or cultural assets in places and settings that could be adversely affected.  Intergovernmental Panel on Climate Change (2022) <a href="Annex II: Glossary">Annex II: Glossary</a> in: Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change
Extended producer responsibility (EPR)	<ul> <li>An environmental policy approach in which a producer's responsibility for a product is extended to the post-consumer stage of a product's life cycle. An extended producer responsibility (EPR) policy is characterised by:</li> <li>The shifting of responsibility (physically and/or economically; fully or partially) upstream toward the producer and away from municipalities; and</li> <li>The provision of incentives to producers to take into account environmental considerations when designing their products.</li> <li>Organisation for Economic Co-operation and Development (2016) Extended Producer Responsibility</li> </ul>

Term	Definition
Extinction risk (species)	Threat status of a species and how activities/pressures may affect the threat status. The indicator may also measure change in the available habitat for a species as a proxy for impact on local or global extinction risk.  European Commission (2023) Annex 1 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards (ESRS E4)
Facilitated dependencies and impacts	Facilitated dependencies and impacts differ from financed dependencies and impacts in two respects: they are off-balance sheet (representing services rather than financing) and they can take the form of a flow activity (temporary association with transactions) rather than a stock activity (held on book). Facilitation is a separate and significant metric, and one that exerts material impact on the direction of capital towards economic activities that can enable a transition to more sustainable interfaces with nature.  Adapted from Partnership for Carbon Accounting Financials (2022) Capital Market Instruments
Feed conversion ratio (FCR) or feed efficiency (FE)	The FCR is the feed input divided by the resulting net production; it indicates the units of feed necessary to yield one unit of biomass. The smaller the FCR, the greater is the feed use efficiency. Feed efficiency is simply the inverse of the FCR – the amount of aquaculture biomass realised per unit of feed input. The larger the FE, the greater the efficiency of feed use. The FCR is more commonly used by fish and shrimp farmers.  The FCR is based on the air-dry or 'as is' feed weight, and the live weight of aquaculture biomass.  Boyd, C.E. (2021) A Low Feed Conversion Ratio is the Primary Indicator of Efficient Aquaculture, Seafood Alliance
Fertiliser	A chemical or natural substance or material that is used to provide nutrients to plants, usually via application to the soil, but also to foliage or through water in rice systems, fertigation or hydroponics or aquaculture operations.  Food and Agriculture Organization (2019) Global Soil Doctors Programme: A Farmer-to-Farmer Training Programme

Term	Definition
Final ecosystem services	When an ecological end-product transitions to being either an economic benefit or something that can be directly used or appreciated by people.  Finisdore, J. et al. (2020) The 18 Benefits of Using Ecosystem Services Classification  Systems, Climate Disclosure Standards Board (2021) Framework Application Guidance for Biodiversity-related Disclosures
Financial exposure	The amount (usually expressed in monetary terms) of exposure to the risk of suffering a loss in a particular transaction or with respect to any kind of investments.  Corporate Finance Institute Basel Committee on Banking Supervision (BCBS) - Concept of Exposure at Default (or credit exposure) for Banks
Financial impact (referred to by TNFD as financial effects to avoid confusion with impacts on nature)	Financial impact occurs when financial items such as physical assets, capital expenditures, operational expenditures and revenues are affected, whether positively or negatively.  Task Force on Climate-related Financial Disclosures (2020) Guidance on Scenario Analysis for Non-Financial Companies
Financial stability risk	Risk that a materialisation and compounding of physical and/or transition risk leads to the destabilisation of an entire financial system. It is one type of nature-related systemic risk.  Goldin, I. & Mariathasan, M. (2014) The Butterfly Defect: How Globalisation Creates Systemic Risks and What to do about it, International Risk Governance Centre (2018) IRGC Guidelines for the Governance of Systemic Risks, Kaufmann, G. & Scott, K. (2003) What Is Systemic Risk, and Do Bank Regulators Retard or Contribute to It?, Network for Greening the Financial System (2023) Nature-related Financial Risks: A Conceptual Framework to guide Action by Central Banks and Supervisors, Organisation for Economic Co-operation and Development (2023, forthcoming) A prudential framework for assessing nature related financial risks: identifying and navigating biodiversity risks
Fish or fish product	Whole fish or product that is, or is derived from, any aquatic organism.  Marine Stewardship Council (2023) MSC-MSCI Vocabulary v1.5

Term	Definition
Fishmeal	A commercial product made from both whole fish and the bones and offal from processed fish. It is a brown powder or cake obtained by rendering pressing the cooked whole fish or fish trimmings to remove most of the fish oil and water, and then ground. What remains is the fishmeal. Fishmeal is a nutrient-rich and high protein supplement feed ingredient used primarily in diets for domestic animals and sometimes used as a high-quality organic fertilizer.  National Marine Sanctuaries, Fisheries Glossary
Fishmeal Forage Fish Dependency Ratio (FFDRm) and Fish Oil Forage Fish Dependency Ratio (FFDRo) for grow- out	The ratios, one for fishmeal (FFDRm) and another for fish oil (FFDRo), calculate the dependency on forage fisheries through an assessment of the quantity of live fish from small pelagic fisheries required to produce the amount of fishmeal or fish oil needed to produce a unit of farmed salmon.  Aquaculture Stewardship Council (2019) Salmon Standard Version 1.2 Criterion 4.2 Use of Wild Fish for Feed
Floodplain	A floodplain is a flat area of land next to a river or stream. It stretches from the banks of the river to the outer edges of the valley.  Adapted from the Freshwater Information Platform
Food loss and food waste	Food loss refers to the decrease in edible food mass and production, post-harvest and processing stages of the food chain (upstream).  Food waste refers to the discard of edible foods at the retail and consumer levels (downstream).  Food and Agriculture (2014) Food wastage footprinting: Full-cost accounting.
Forest	Land spanning more than 0.5 hectares with trees higher than 5 meters and a canopy cover of more than 10%, or trees able to reach these thresholds in situ. It does not include land that is predominantly under agricultural or urban land use. Forest includes natural forests and tree plantations. For the purpose of implementing zero deforestation supply chain commitments, the focus is on preventing the conversion of natural forests.  Food and Agriculture Organization (2020) Forest Resources Assessment - Terms and Definitions, Accountability Framework Initiative (2020) Terms and Definitions

Term	Definition
Forest degradation	Entails a reduction or loss of the biological or economic productivity and complexity of forest ecosystems resulting in the long-term reduction of the overall supply of benefits from forest, which includes wood, biodiversity and other products or services, provided that the canopy cover stays above 10% (cf. definition of forest).  Food and Agriculture Organization and United Nations Environment Programme (2020)  The State of the World's Forests 2020: Forests, biodiversity and people, Food and Agriculture Organization (2000) Forest Resources Assessment - Definitions of Forest Change Processes
Forest ownership	Generally refers to the legal right to freely and exclusively use, control, transfer, or otherwise benefit from a forest. Ownership can be acquired through transfers such as sales, donations and inheritance.  Food and Agriculture Organization (2020) Forest Resources Assessment - Terms and Definitions
Fresh water returned	The fresh water discharged from a facility (directly or via a third party) into a freshwater body or aquifer.  International Petroleum Industry Environmental Conservation Association (2020)  Sustainability Reporting Guidance for the Oil and Gas Industry
Freshwater	All permanent and temporary freshwater bodies as well as saline water bodies that are not directly connected to the oceans.  The United States Geological Survey (USGS) (2018) Water Science Glossary of Terms, World Health Organization (WHO) (2017) Guidelines for Drinking-Water Quality
Freshwater use change	The change from one freshwater use category to another.  Adapted from Science Based Targets Initiative (2022) Forest, Land and Agriculture Guidance Science Based Target-Setting Guidance, IPBES Glossary
Genetically modified organism (GMO)	An organism in which the genetic material has been altered anthropogenically by means of gene or cell technologies.  Food and Agriculture Organization (2019) International Treaty on Plant Genetic Resources for Food and Agriculture
Goal	A high-level statement of ambition, including a timeframe.  Science-based Targets Network (2023) <u>SBTN Glossary of Terms</u>

Term	Definition
Government or regulator green investment taxonomy	A common framework or classification system, designed by authoritative bodies such as governments or financial regulators that establishes criteria for assessing whether investments can be defined as environmentally sustainable.  Adapted from

Term	Definition
Habitat loss	The reduction in the amount of space where a particular species, or group of species can survive and reproduce.  UC Berkeley, <u>Understanding Global Change</u>
Hazard	Inherent property of a substance, agent or situation having the potential to cause undesirable consequences (e.g. properties that can cause adverse effects or damage to health, the environment or property).  Food and Agriculture Organization & World Health Organization (2016) International Code of Conduct on Pesticide Management: Guidelines on Highly Hazardous Pesticide
Hazardous waste	Waste that possesses any of the characteristics contained in Annex III of the Basel Convention, or that is considered to be hazardous by national legislation.  United Nations Environment Programme (1989) Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal, GRI (2022) GRI Standards Glossary
High-risk natural commodities	High-risk natural commodities refer to commodities or products where production has significant negative impacts on nature.  Organizations should refer to the SBTN High Impact Commodity List. Organizations should also indicate what proportion of these commodities represented are IUCN threatened or CITES listed species.  Science Based Targets Network (2023) SBTN High Impact Commodity List
Highly hazardous pesticides	Pesticides that are acknowledged to present particularly high levels of acute or chronic hazards to health or environment according to internationally accepted classification systems such as WHO or GHS or their listing in relevant binding international agreements or conventions. In addition, pesticides that appear to cause severe or irreversible harm to health or the environment under conditions of use in a country may be considered to be and treated as highly hazardous.  Food and Agriculture Organization and World Health Organization (2016) International Code of Conduct on Pesticide Management: Guidelines on Highly Hazardous Pesticide  For toxicity hazard classification, refer to the World Health Organization (2019) The WHO Recommended Classification of Pesticides by Hazard and Guidelines to Classification

Term	Definition
Hinterland	Hinterlands are a city's surrounding areas which receive high demand for resources and services from the city. The hinterland in a way is not limited by geographic proximity to the city, given the trend to procure services from an increasingly broad area. With the growth of cities and the parallel globalisations, the hinterlands are becoming international and global.  Lee, S. E. et al. (2016) Advancing City Sustainability via Its Systems of Flows: The Urban Metabolism of Birmingham and Its Hinterland. Sustainability 8, 220
Horizon year	The horizon year (or time horizon) is the chosen cutoff time in the future of the scenario stories.  Task Force on Climate-related Financial Disclosures (2020) Guidance on Scenario  Analysis for Non-Financial Companies
Impact area (in aquaculture)	The area of the impact zone. Impact area is relevant, for instance, if the sensitive species under consideration is plentiful and can reproduce relatively quickly. If the typical impact area is small compared to the species' habitat, occasional plume exposures may be of little concern.  Sævik, P.N. et al. (2022) Modelling Chemical Releases from Fish Farms: Impact Zones, Dissolution Time, and Exposure Probability, ICES Journal of Marine Science, 79(1), 22–33
Impact drivers	A measurable quantity of a natural resource that is used as a natural input to production (e.g. the volume of sand and gravel used in construction) or a measurable non-product output of a business activity (e.g., a kilogram of NOx emissions released into the atmosphere by a manufacturing facility).  Capitals Coalition (2016) Natural Capital Protocol  See further definition of impact drivers from Impact Management Platform
Impact materiality	Information on the organization's most significant impacts on the economy, environment, and people, including impacts on their human rights.  GRI (2021) GRI 3: Material Topics 2021
Impact pathway	An impact pathway describes how, as a result of a specific business activity, a particular impact driver results in changes in natural capital, and how these changes in natural capital affect different stakeholders.  Capitals Coalition (2016) Natural Capital Protocol  See further definition of impact pathway from Impact Management Platform

Term	Definition
Impacts (on nature)	Changes in the state of nature (quality or quantity), which may result in changes to the capacity of nature to provide social and economic functions. Impacts can be positive or negative. They can be the result of an organization's or another party's actions and can be direct, indirect or cumulative. A single impact driver may be associated with multiple impacts.
	Science Based Targets Network (2023) <u>SBTN Glossary of Terms</u> , Climate Disclosure Standards Board (2021) <u>Application guidance for Biodiversity- related Disclosures</u>
	See further definition of impacts from Impact Management Platform
Indicator	A quantitative or qualitative factor or variable that provides a simple and reliable means to measure performance. An indicator can be measured through one or multiple metrics.
	OECD/DAC (2002) Glossary of Key Terms in Evaluation and Results Based Management  Development Assistance Committee
Indicator (for	A measurable entity related to a specific information need, such as the state of nature,
measuring performance against goals or	change in a pressure, progress toward a target, or association between two or more variables. Example: Red List Index (SDG Target 15.5; Aichi Target 12).
targets)	Science Based Targets Network (2023) SBTN Glossary of Terms

Term	Definition
Indigenous Peoples	There is no formal definition adopted in international law. A strict definition is seen as unnecessary and undesirable.
	The United Nations use a working definition from the Martinez Cobo Study:
	'Indigenous communities, peoples and nations are those which, having a historical continuity with pre-invasion and pre-colonial societies that developed on their territories, consider themselves distinct from other sectors of the societies now prevailing on those territories, or parts of them. They form at present non-dominant sectors of society and are determined to preserve, develop and transmit to future generations their ancestral territories, and their ethnic identity, as the basis of their continued existence as peoples, in accordance with their own cultural patterns, social institutions and legal system.'
	It also notes that an Indigenous person is: ' one who belongs to these indigenous populations through self-identification as indigenous (group consciousness) and is recognised and accepted by these populations as one of its members (acceptance by the group). This preserves for these communities the sovereign right and power to decide who belongs to them, without external interference.'
	According to ILO Convention 169, Indigenous Peoples are descendants of population 'which inhabited a country or geographical region during its conquest or colonization or the establishment of present state boundaries' and 'retain some or all of their own social, economic, cultural and political institutions'.
	Asia Pacific Forum of National Human Rights Institutions and the Office of the United Nations High Commissioner for Human Rights (August 2013) The United Nations  Declaration on the Rights of Indigenous Peoples, Office of the United Nations High Commissioner for Human Rights. A Manual for National Human Rights Institutions
Indigenous (=native) species	A species or lower taxon living within its natural range (past or present) including the area which it can reach and occupy using its natural dispersal systems.
	International Council for the Exploration of the Sea (2022) Glossary of Terms

Term	Definition
Indirect impact	A change in the state of nature caused by a business activity with an indirect causal link (e.g., a change indirectly caused by climate change, to which an organization's greenhouse gas emissions contributed).  Climate Disclosure Standards Board (2021) Framework Application Guidance for Biodiversity-related Disclosures, Endangered Wildlife Trust (2020) The Biological Diversity Protocol, Capitals Coalition and Cambridge Conservation Initiative (2020) Integrated Biodiversity into Natural Capital Assessments
Inorganic pollutants	Emissions within or lower than the emission levels associated with the best available techniques (BAT-AEL) as defined in Article 3, point (13) of Directive 2010/75/EU of the European Parliament and of the Council (14), for the Large Volume Inorganic Chemicals-Solids and Others industry.  Adapted from European Commission (2023) Commission Delegated Regulation (EU) 2022/1288
Insurance costs due to nature- related loss and damage	Financial impacts on insurance associated with nature-related risks, including underinsurance (or no insurance at all), premium loss, self-insurance, higher capital requirements for reinsurance consumption, reprice of exposed assets, negative impacts on market valuations and loss of profit and premium pools.  Adapted from McKinsey (2020) Climate Change and P&C Insurance: The Threat and Opportunity
Insurance- associated dependencies and impacts	Dependencies and impacts on nature in the real economy that are associated with specific re/insurance policies aggregated in the re/insurance portfolio.  Adapted from Partnership for Carbon Accounting Financials (2022) Insurance-Associated Emissions
Integrated Pest Management (IPM)	The careful consideration of all available pest control techniques and subsequent integration of appropriate measures that discourage the development of pest populations and keep pesticides and other interventions to levels that are economically justified and reduce or minimise risks to human and animal health and/or the environment. IPM emphasises the growth of a healthy crop with the least possible disruption to agroecosystems and encourages natural pest control mechanisms.  Food and Agriculture Organization & World Health Organization (2016) International Code of Conduct on Pesticide Management: Guidelines on Highly Hazardous Pesticide

Term	Definition
Invasive alien species	Species whose introduction and/or spread by human action outside their natural distribution threatens biological diversity, food security, and human health and well-being. 'Alien' refers to the species having been introduced outside its natural distribution ('exotic', "non-native' and 'nonindigenous' are synonyms for 'alien'). 'Invasive' means tending to expand into and modify ecosystems to which it has been introduced. Thus, a species may be alien without being invasive, or, in the case of a species native to a region, it may increase and become invasive, without actually being an alien species.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services IPBES Glossary, European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards Sustainability Reporting Standards
Ionizing radiation	A type of high-energy radiation that has enough energy to remove an electron (negative particle) from an atom or molecule, causing it to become ionized. Ionizing radiation can come from natural sources, such as radon and cosmic rays. Nuclear power plant accidents also release high levels of ionizing radiation.  National Cancer Institute, US National Institute of Health (NIH)
Issue areas (for Science Based Target setting)	<ul> <li>The environmental issues which Science Based Targets will address include the following:</li> <li>Ecosystem use and use change,</li> <li>Resource (over) exploitation,</li> <li>Climate change,</li> <li>Pollution, and</li> <li>Direct impacts on biodiversity (invasive species, accidental mortality, biological alterations, short term disturbances).</li> <li>Science Based Targets Network (2020) Science-Based Targets for Nature: Initial Guidance for Business</li> </ul>
Key Biodiversity Area	A site contributing significantly to the global persistence of biodiversity.  International Union for Conservation of Nature (2016) A Global Standard for the Identification of Key Biodiversity Areas: Version 1.0
Land	Land includes all dry land, its vegetation cover, nearby atmosphere and substrate (soils, rocks) to the rooting depth of plants, and associated animals and microbes.  International Union for Conservation of Nature (2023)

Term	Definition
Landfilling	Landfilling: final depositing of solid waste at, below or above ground level at engineered disposal sites.  GRI (2022) <u>GRI Standards Glossary</u> from UN (1997) Glossary of Environment Statistics, Studies in Methods, Series F, No. 67
Land footprint	A corporate's land footprint, known in life cycle assessment terms as "land occupation", is defined for the land footprint target as the amount of agricultural land required per year to produce the products produced or sourced by a company, and it is reported in hectares per year. For crops, land occupation is also referred to as "harvested area" in the Food and Agriculture Organization's data portal FAOSTAT.  Science Based Targets Network (2023) <a href="mailto:SBTN Glossary of Terms">SBTN Glossary of Terms</a>
Land use change	The change from one land use category to another. Land use change refers to the modification or management of natural environments into human dominated environments, such as settlements, semi-natural, agricultural areas and other living things and which may lead to a modification in land cover.  Science Based Targets Initiative (2022) Forestry, Land and Agriculture Science Based Target-Setting Guidance, IPBES Glossary, European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards Sustainability Reporting Standards
Land use intensity	Land footprint (or occupation) intensity is essentially the reciprocal of yield, referring to the amount of land needed to produce a given unit of product. The unit of product in the denominator of this calculation can vary (e.g. weight, kilocalories, protein).  Science Based Targets Network (2023) SBTN Glossary of Terms
Landscape complexity (in agriculture)	Complexity of agricultural landscape composition and configuration, since more complex landscapes (for example, with a higher proportion of semi-natural habitat) are associated with higher levels of biodiversity and improved ecosystem service provision to agriculture (for example, pollination and pest control).  Nature (2021) ABDI indicator framework
Lateral connection	The riparian/floodplain/terrestrial-river nexus which connects the adjacent land next to rivers to the instream part of the river.  Adapted from Marle, P., Riquier, J., Timoner, P., Mayor, H., Slaveykova, V.I., Castella, E. (2022) Thermal Regime, Together with Lateral Connectivity, Control Aquatic Invertebrate Composition in River Floodplains

Term	Definition
Leakage	A collateral effect caused when an environmental policy indirectly triggers impacts that go against its aims, thus reducing the overall benefit of the intervention.  Bastos Lima et al. (2019) Leakage and Boosting Effects in Environmental Governance: A Framework for Analysis
Liability	A present obligation of the entity to transfer an economic resource as a result of past events.  International Financial Reporting Standard (2015) Conceptual Framework: Elements of Financial Statements – Definitions and Recognition
Liability risk	Arising directly or indirectly from legal claims. As laws, regulations and case law related to an organization's preparedness for nature action evolves, the incident or probability of contingent liabilities arising from an organization may increase.  Adapted from TCFD Implementing the Recommendations of the TCFD, Appendix Table A1.3
Light pollution	Light pollution refers to artificial light that alters the natural patterns of light and dark in ecosystems. It comprises direct glare, chronically increased illumination and temporary, unexpected fluctuations in lighting. The sources of ecological light pollution include sky glow, illuminated buildings, streetlights, fishing boats, security lights, lights on vehicles, flares on offshore oil platforms, and lights on undersea research vessels. While light pollution is eminently detrimental to nocturnal and migratory animals and to animals in flight, it also produces harmful effects on plants.  Longcore T., Rich, C. (2004) Ecological Light Pollution. Frontiers in Ecology and the Environment, 2[4]: 191-198

Term	Definition
Liquidity risk	Banks' access to stable sources of funding could be reduced as market conditions change. Nature-related risks may cause banks' counterparties to draw down deposits and credit lines.
	For example, there may be pressure to liquidate assets due to rapid nature degradation as a result of crossing a tipping point or new regulations affecting particular assets that influence cash flows and collateral values.
	Adapted from Task Force on Climate-related Financial Disclosures (2017) Final Report: Recommendations on Climate-related Financial Disclosures, Financial Stability Board (2022) Final report: Supervisory and Regulatory Approaches to Climate-related Risks, Network for Greening the Financial System (2023) Nature-related Financial Risks: A Conceptual Framework to guide Action by Central Banks and Supervisors, Organisation for Economic Cooperation and Development (2023, forthcoming) A prudential framework for assessing nature-related financial risks: identifying and navigating biodiversity risks.
Load	The rate at which a pollutant such as nutrients is delivered to a receiving water, specified in units of mass per time (e.g., kg P/day).
	Science Based Target Network (2023) SBTN Glossary of Terms
Local Communities	The term 'Local Communities' is used based on the characteristic listed by the Convention on Biological Diversity and its article 8 (j) which refer to: 'Local communities embodying traditional lifestyles relevant for the conservation and sustainable of biological diversity'.
	Convention on Biological Diversity, Article 8: In-situ Conservation
	The Convention on Biological Diversity in its decision XI/14, Article 8(j) and related provisions, 'Takes note of the characteristics listed in section I of the annex to the report of the Expert Group Meeting as potentially useful advice in identifying local communities, within the mandate of the Convention.'
	Convention on Biological Diversity, Decision adopted by the Conference of the Parties to the Convention on Biological Diversity at its Eleventh Meeting. XI/14. Article 8(j) and related provisions.
	The experts recommended that a working definition may be possible based on the following characteristics, some of which could be considered essential:
	Local Communities living in rural and urban areas of various ecosystems may exhibit some of the following characteristics:
	A. Self-identification as a local community;
	B. Lifestyles linked to traditions associated with natural cycles (symbiotic relationships or dependence), the use of and dependence on biological resources and linked to the sustainable use of nature and biodiversity;



Local Communities (cont.)  C. The community occupies a definable territory¹ traditionally occupied and/or used, permanently or periodically. These territories are important for the maintenance of social, cultural, and economic aspects of the community;  D. Traditions (often referring to common history, culture, language, rituals, symbols and customs) and are dynamic and may evolve;  E. Technology/knowledge/innovations/practices associated with the sustainable use and conservation of biological resources;  F. Social cohesion and willingness to be represented as a local community;  G. Traditional knowledge transmitted from generation to generation including in oral form;  H. A set of social rules (e.g., that regulate land conflicts/sharing of benefits) and organizational-specific community/traditional/customary laws and institutions;  I. Expression of customary and/or collective rights;  J. Self-regulation by their customs and traditional forms of organization and institutions;  K. Performance and maintenance of economic activities traditionally, including for subsistence, sustainable development and/or survival;  L. Biological (including genetic) and cultural heritage (bio-cultural heritage);  M. Spiritual and cultural values of biodiversity and territories;  N. Culture, including traditional cultural expressions captured through local languages, highlighting common interest and values;  O. Sometimes marginalized from modern geopolitical systems and structures;	Term	Definition
<ul> <li>P. Biodiversity often incorporated into traditional place names;</li> <li>Q. Foods and food preparation systems and traditional medicines are closely connected to biodiversity/environment;</li> <li>R. May have had little or no prior contact with other sectors of society resulting in distinctness or may choose to remain distinct;</li> <li>S. Practice of traditional occupations and livelihoods;</li> <li>T. May live in extended family, clan or tribal structures;</li> <li>U. Belief and value systems, including spirituality, are often linked to biodiversity;</li> <li>V. Shared common property over land and natural resources;</li> <li>W. Traditional right holders to natural resources;</li> <li>X. Vulnerability to outsiders and little concept of intellectual property rights.</li> <li>Report of the Expert Group Meeting of Local Community Representatives within the Context of Article 8(j) and Related Provisions of the Convention on Biological Diversity</li> </ul>		permanently or periodically. These territories are important for the maintenance of social, cultural, and economic aspects of the community;  D. Traditions (often referring to common history, culture, language, rituals, symbols and customs) and are dynamic and may evolve;  E. Technology/knowledge/innovations/practices associated with the sustainable use and conservation of biological resources;  F. Social cohesion and willingness to be represented as a local community;  G. Traditional knowledge transmitted from generation to generation including in oral form;  H. A set of social rules (e.g., that regulate land conflicts/sharing of benefits) and organizational-specific community/traditional/customary laws and institutions;  I. Expression of customary and/or collective rights;  J. Self-regulation by their customs and traditional forms of organization and institutions;  K. Performance and maintenance of economic activities traditionally, including for subsistence, sustainable development and/or survival;  L. Biological (including genetic) and cultural heritage (bio-cultural heritage);  M. Spiritual and cultural values of biodiversity and territories;  N. Culture, including traditional cultural expressions captured through local languages, highlighting common interest and values;  O. Sometimes marginalized from modern geopolitical systems and structures;  P. Biodiversity often incorporated into traditional place names;  Q. Foods and food preparation systems and traditional medicines are closely connected to biodiversity/environment;  R. May have had little or no prior contact with other sectors of society resulting in distinctness or may choose to remain distinct;  S. Practice of traditional occupations and livelihoods;  T. May live in extended family, clan or tribal structures;  U. Belief and value systems, including spirituality, are often linked to biodiversity;  V. Shared common property over land and natural resources;  W. Traditional right holders to natural resources;  X. Vulnerability to outsiders and littl

<sup>1</sup> Territory is interpreted as lands and waters.

Term	Definition
Longitudinal connection	The upstream-downstream nexus of a river, from the headwaters in the uplands to the mouth of the river by the ocean. Longitudinal connectivity of rivers and streams can also be considered on a various scale (sub-catchment).  Adapted from Lasne, E., Acou, A., Vila-Gispert, A., Laffaille, P. (2008) European Eel Distribution and Body Condition in a River Floodplain: Effect of Longitudinal and Lateral connectivity. Ecology of Freshwater Fish 17, 567–576
Mainstem river	In hydrology, a mainstem river is the primary downstream segment of a river. Water enters the mainstem from the river's catchment (the land area through which the mainstem and its tributaries flow).  Adapted from Pracheil, B.M., McIntyre, P.B., Lyons, J.D. (2013) Enhancing Conservation of Large-river Biodiversity by Accounting for Tributaries. Frontiers in Ecology and the Environment 11, 124–128
Mandatory market credit schemes	Mandatory credit markets enable businesses, governments, non-profit organizations, universities, municipalities, and individuals to offset their impacts on biodiversity. In a compliance market, trading and demand is created by a regulatory mandate.  Adapted from Carbon Offset Research and Education Program Carbon Offset Guide
Marine sediment	Marine sediments are generally a combination of several components, most of them coming from the particles eroded from the land and the biological and chemical processes taking place in sea water.  T. Akals (2001) Acoustics in Marine Sediments Encyclopedia of Ocean Sciences (Second Edition)
Market opportunity	Changing dynamics in overall markets, such as access to new markets or locations, which arise from other opportunity categories as a result of changing conditions, including consumer demands, consumer and investor sentiment and stakeholder dynamics.  TNFD

Term	Definition
Market risk	Changing dynamics in overall markets, including changes in consumer preferences, which arise from other risk categories as a result of changing physical, regulatory, technological and reputational conditions and stakeholder dynamics.  Adapted from Task Force on Climate-related Financial Disclosures (2017) Final Report:  Recommendations on Climate-related Financial Disclosures, Financial Stability Board (2022) Final report: Supervisory and Regulatory Approaches to Climate-related Risks,  Network for Greening the Financial System (2023) Nature-related Financial Risks: A  Conceptual Framework to guide Action by Central Banks and Supervisors
Materiality	Report preparers should use the definitional guidance regarding materiality provided by the regulatory authorities for their reporting jurisdiction(s).
	In the absence of any such guidance, the TNFD recommends that organizations apply the ISSB's approach to identifying information that is material for users of general financial reports as a baseline. Report preparers who want or need to report to a different materiality approach may apply an impact materiality approach to identify information in addition to the ISSB's baseline. With respect to impact materiality, the TNFD has aligned its recommendations (and supporting additional guidance) with the language and approach of the GRI's Sustainability Reporting Standards.  Organizations seeking to align with Target 15 of the GBF will want to consider the
	application of an impact materiality lens to identify information that is incremental to the global baseline.
	International Financial Reporting Standards (2023) <u>S1 General Requirements for</u> <u>Disclosure of Sustainability-related Financial Information</u> , <b>GRI (2021)</b> <u>GRI 1: Foundation</u> <u>2021, Section 2.2</u>
Material locations	Locations where an organization has identified material nature-related dependencies, impacts, risks and opportunities in its direct operations and upstream and downstream value chain(s).  TNFD
Measurement (science-based targets)	The process of collecting data for baseline setting, monitoring and reporting of science-based targets.  Science Based Targets Network (2023) SBTN Glossary of Terms

Term	Definition
Medically important antimicrobials	Antimicrobial classes used in human medicine, and therefore listed on the WHO CIA List where they are categorised according to specified criteria, as "important", "highly important" or "critically important" for human medicine.  Categorisation criteria, definitions for the categories and a complete list of medically important antimicrobials are available on the WHO website.  World Health Organization (2017) WHO Guidelines on Use of Medically Important Antimicrobials in Food-Producing Animals
Mesotrophic	A river or stream with a moderate amount of nutrients (nitrate and phosphates).  Adapted from Carlson, R.E. (1977) <u>A Trophic State Index for Lakes</u> . Limnology and Oceanography 22, 361–369
Metric	A system or standard of measurement.  Biodiversity Indicators Partnership (2011) Guidance for National Biodiversity Indicator  Development and Use
Microplastics	Microplastics are small pieces (typically smaller than 5mm) of solid plastic particles composed of mixtures of polymers and functional additives. They may also contain residual impurities.  European Chemicals Agency (2022) Microplastics
Minimum flow	A general term used to describe a flow that must be maintained without further reduction over a specified period, either during the dry season or over the entire year. It implies that ecosystem functioning can be protected through the delivery of a minimum and constant flow, whereas evidence shows within- and between-year-flow variability is essential to maintaining healthy rivers.  Adapted from Hayes, D.S., Brändle, J.M., Seliger, C., Zeiringer, B., Ferreira, T., Schmutz, S. (2018) Advancing Towards Functional Environmental Flows for Temperate Floodplain Rivers. Science of The Total Environment 633, 1089–1104
Mitigation	Action(s) taken to reduce the extent of a negative impact.  GRI (2022) GRI Standards Glossary from UN (2012) The Corporate Responsibility to Respect Human Rights: An Interpretive Guide

Term	Definition
Mitigation hierarchy (and conservation hierarchy)	The mitigation hierarchy is the sequence of actions to anticipate and avoid, and where avoidance is not possible, minimise, and, when impacts occur, restore, and where significant residual impacts remain, offset for biodiversity-related risks and impacts on affected communities and the environment.  The conservation hierarchy goes beyond mitigating impacts, to encompass any activities affecting nature. This means that conservation actions to address historical, systemic and non-attributable biodiversity loss can be accounted for in the same framework as actions to mitigate specific impacts.  The TNFD aligns to the SBTN AR3T Framework that covers actions to avoid future
	impacts, reduce current impacts, regenerate and restore ecosystems, and transform the systems in which companies are embedded. It is built on the mitigation hierarchy set out in the International Financial Corporation's (IFC) Performance Standard 6 and the Conservation Hierarchy.
	Adapted from Cross Sector Biodiversity Initiative (2015) A Cross Sector Guide for Implementing the Mitigation Hierarchy: Executive Summary and Overview, Conservation Hierarchy, Science Based Targets Network (2023) Step 4. Act
Monitoring (science-based targets)	Tracking progress towards targets.  Science Based Targets Network (2023) SBTN Glossary of Terms
Narratives	Qualitative descriptions of plausible future world evolution, describing the characteristics, general logic and developments underlying a particular quantitative set of scenarios.  Narratives are also referred to in the literature as 'storylines'.  Taskforce on Climate-related Financial Disclosures (2020) Guidance on Scenario Analysis for Non-Financial Companies
Natural capital	The stock of renewable and non-renewable natural resources (e.g., plants, animals, air, water, soils, minerals) that combine to yield a flow of benefits to people.  Capitals Coalition (2016) Natural Capital Protocol
Natural commodities (resources)	Natural assets (raw materials) occurring in nature that can be used for economic production or consumption.  Organisation for Economic Co-operation and Development (2008) OECD Glossary of Statistical Terms

Term	Definition
Natural ecosystem	An ecosystem that substantially resembles – in terms of species composition, structure, and ecological function – one that is or would be found in a given area in the absence of major human impacts. This includes human-managed ecosystems where much of the natural species composition, structure, and ecological function is present.  Science Based Targets Network (2023) Step 3: Measure, Set, Disclose: Land (Version 0.3)
Naturally regenerating forest	Forest predominantly composed of trees established through natural regeneration.  Food and Agriculture Organization (2020) Forest Resources Assessment - Terms and Definitions
Natural-climate solutions	A subset of nature-based solutions, natural-climate solutions include conservation, restoration, and improved land and sea management that increase carbon storage and/ or avoid greenhouse gas emissions, enhance resilience, and assist climate adaptation across global forests, wetlands, mangroves, grasslands, and agricultural lands and other habitats.  Girardin, C et al. (2021) Nature Based Solutions Can Help Cool the Planet — If We Act Now, Griscom, B et al. (2017) Natural Climate Solutions
Nature	The natural world, with an emphasis on the diversity of living organisms (including people) and their interactions among themselves and with their environment.  Adapted from Díaz, S et al. (2015) The IPBES Conceptual Framework – Connecting Nature and People
Nature action plan	A programme developed by an organization that sets out the actions needed to achieve an agreed goal, accompanied by a schedule and budget, with the aim of helping nature's recovery by protecting and restoring the biodiversity of environments that they have control over. A nature action plan should include mechanisms to monitor and create accountability for progress, as well as schedule and budget.  TNFD
Nature loss	The loss and/or decline of the state of nature. This includes, but is not limited to, the reduction of any aspect of biological diversity e.g., diversity at the genetic, species and ecosystem levels in a particular area through death (including extinction), destruction or manual removal.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (2019) Global Assessment Report on Biodiversity and Ecosystem Services

Term	Definition
Nature's contribution to people	All the contributions, both positive and negative, to people's quality of life.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services  IPBES Glossary
Nature-based solutions	Actions to protect, conserve, restore, sustainably use and manage natural or modified terrestrial, freshwater, coastal and marine ecosystems that address societal, economic and environmental challenges effectively and adaptively, while simultaneously providing human well-being, ecosystem services, resilience and biodiversity benefits.  Adapted from International Union for Conservation of Nature (2020) The IUCN Global Standard for Nature-based Solutions
Nature-positive	A high-level goal and concept describing a future state of nature (e.g., biodiversity, ecosystem services and natural capital) that is greater than the current state.  Science Based Targets Network (2023) <a href="SBTN Glossary of Terms">SBTN Glossary of Terms</a>
Nature-related community development programs	Plan that details actions to minimise, mitigate, or compensate for adverse social and/or economic impacts, and/or to identify opportunities or actions to enhance positive impacts of a project on the community.  GRI (2022) GRI Standards Glossary
Nature-related opportunities	Activities that create positive outcomes for organizations and nature by creating positive impacts on nature or mitigating negative impacts on nature.  Nature-related opportunities are generated through impacts and dependencies on nature, and can occur:  • When organizations avoid, reduce, mitigate or manage nature-related risks, for example, connected to the loss of nature and ecosystem services that the organization and society depend on;  • Through the strategic transformation of business models, products, services, markets and investments that actively work to reverse the loss of nature, including by restoration, regeneration of nature and implementation of nature-based solutions.  Adapted from WWF (2022) A Biodiversity Guide for Business



Term	Definition
Nature-related physical risks	Nature-related physical risks are risks resulting from the degradation of nature (such as changes in ecosystem equilibria, including soil quality and species composition) and consequential loss of ecosystem services that economic activity depends upon. These risks can be chronic (e.g. a gradual decline of species diversity of pollinators resulting in reduced crop yields, or water scarcity) or acute (e.g. natural disasters or forest spills). Nature-related physical risks arise as a result of changes in the biotic (living) and abiotic (non-living) conditions that support healthy, functioning ecosystems. These risks are usually location-specific.
	Network for Greening the Financial System (2023) Nature-related Financial Risks: A Conceptual Framework to guide Action by Central Banks and Supervisors, Organisation for Economic Co-operation and Development (2023, forthcoming) A prudential framework for assessing nature-related financial risks: identifying and navigating biodiversity risks, Financial Stability Board (2022) Supervisory and Regulatory Approaches to Climate-related Risks Final report, International Association of Insurance Supervisors (2021) Application Paper on the Supervision of Climate-related Risks in the Insurance Sector, Network for Greening the Financial System (2019) A Call for Action: Climate Change as a Source of Financial Risk
Nature-related risks	In line with ISO, the TNFD defines nature-related risks as potential threats (effects of uncertainty) posed to an organization that arise from its and wider society's dependencies and impacts on nature.  Climate Disclosure Standards Board (2021) Framework application guidance for biodiversity-related disclosures, International Organization for Standardisation (2018) ISO 31000, Risk Management – Guidelines, Task Force on Climate-related Financial Disclosures (2017) Final Report: Recommendations on Climate-related Financial Disclosures
Nature-related scenario analysis	Allows organizations to explore the possible consequences of nature loss and climate change, the ways in which governments, markets and society might respond, and the implications of these uncertainties for business strategy and financial planning.  TNFD



Term	Definition
Nature-related systemic risks	Nature-related systemic risks are risks arising from the breakdown of the entire system, rather than the failure of individual parts. Nature-related systemic risks are characterised by modest tipping points combining indirectly to produce large failures and cascading interactions of physical and transition risks. One loss triggers a chain of others and stops systems from recovering their equilibrium after a shock.
	Nature-related systemic risk covers more than only risk to a financial system (i.e. financial stability risk) It also covers the risks from the breakdown of natural systems (i.e. ecosystems).
	Goldin, I & Mariathasan, M (2014) The Butterfly Defect: How Globalisation Creates  Systemic Risks and What to Do About It; International Risk Governance Centre  (2018) IRGC Guidelines for the Governance of Systemic Risks; Kaufmann, G & Scott, K  (2003) What Is Systemic Risk, and Do Bank Regulators Retard or Contribute to It?
Nature-related transition risks	Nature-related transition risks are risks to an organization that stem from a misalignment of economic actors with actions aimed at protecting, restoring, and/or reducing negative impacts on nature. These risks can be prompted, for example, by changes in regulation and policy, legal precedent, technology, or investor sentiment and consumer preferences. They can also arise from activities aimed at restoring nature that no longer align with, for example, revised policies.  Network for Greening the Financial System (2019) A Call for Action: Climate Change as a Source of Financial Risk, Network for Greening the Financial System (2021) Climate-related Litigation: Raising Awareness About a Growing Source of Risk, Financial Stability Board (2022) Supervisory and Regulatory Approaches to Climate-related Risks Final report, Network for Greening the Financial System (2023) Nature-related Financial Risks: A Conceptual Framework to Guide Action by Central Banks and Supervisors, Organisation
	for Economic Co-operation and Development (2023, forthcoming) A prudential framework for assessing nature-related financial risks: identifying and navigating biodiversity risks
Negatively impacted ecosystems	Ecosystems which have been disturbed or disrupted as a result of human activity or natural occurrences, creating changes to the state of the ecosystem, such as degradation, habitat loss or species loss.  TNFD
Nitrogen use efficiency	Nitrogen use efficiency (NUE) can be defined as the ratio between the amount of fertiliser (nitrogen) applied and the amount of nitrogen removed with the harvest (OECD). Note that NUE is not easily comparable across regions and the scale (temporal and spatial) at which NUE analysis is carried out should be specified.  Organisation for Economic Co-operation Development (2010) Nitrogen Use Efficiency as
	an Agro-Environmental Indicator

Term	Definition
Nitrogen planetary boundary	Human activities now convert more atmospheric nitrogen into reactive forms than all of the Earth's terrestrial processes combined. Much of this new reactive nitrogen is emitted to the atmosphere in various forms rather than taken up by crops. When it is rained out, it pollutes waterways and coastal zones or accumulates in the terrestrial biosphere.  Stockholm Resilience Centre The Nine Planetary Boundaries  Farming's contribution to the exceedance of the planetary N boundary is largely caused by high volumes of "new" reactive nitrogen being fixed for mineral fertiliser and its overapplication and inefficient uptake (i.e. low nitrogen efficiency).  Townsend and Palm (2009) The Nitrogen Challenge
Noise pollution	Harmful or unwanted sounds in the environment, which in specific local areas, can be measured and averaged over a period of time.  European Environment Agency (2000) EEA Glossary ETC/CDS. General Environmental Multilingual Thesaurus (GEMET)
Non-hazardous waste	See definition of waste
Non-point source	Sources of pollution that are delivered to the receiving water in a diffuse manner, i.e., not through a confined channel or discharge pipe.  Science Based Target Network (2023) SBTN Glossary of Terms
Non-purposefully introduced species	See definition of 'unintentional / intentional introduction of invasive alien species'
Non-recycled waste	'Non-recycled waste' means any waste not recycled within the meaning of 'recycling' in Article 3(17) of Directive 2008/98/EC.  European Commission (2023) Commission Delegated Regulation (EU) 2022/1288

Term	Definition
Nutrient balance	The nutrient balance is defined as the difference between the nutrient inputs entering a farming system (mainly livestock manure and fertilisers) and the nutrient outputs leaving the system (the uptake of nutrients for crop and pasture production). A nutrient deficit (negative value) indicates declining soil fertility. A nutrient surplus (positive data) indicates a risk of polluting soil, water and air.  Organisation for Economic Co-operation Development (2018) OECD Glossary of Statistical Terms
Ocean	All connected saline ocean waters characterised by waves, tides and currents.
Ocean use change	The change from one ocean use category to another.  Adapted from Science Based Targets Initiative (2022) Forest, Land and Agriculture  Guidance Science Based Target-Setting Guidance
Oligotrophic	A river or stream relatively poor in nutrients (nitrate and phosphates) and containing abundant oxygen.  Adapted from Carlson, R.E. (1977) <u>A Trophic State Index for Lakes.</u> Limnology and Oceanography 22, 361–369
Operational risk	Increasing legal and regulatory compliance costs associated with investments and businesses.  For example, a financial institution may face regulatory, reputational, or liability risks as a result of financing a company engaged in activities that contribute to deforestation. Facilities/suppliers of the financial institution may be affected by flooding or landslides.  Adapted from Task Force on Climate-related Financial Disclosures (2017) Final Report: Recommendations on Climate-related Financial Disclosures, Financial Stability Board (2022) Final report: Supervisory and Regulatory Approaches to Climate-related Risks, Network for Greening the Financial System (NGFS) (2023) Nature-related Financial Risks: A Conceptual Framework to guide Action by Central Banks and Supervisors, Organisation for Economic Co-operation and Development (2023, forthcoming) A prudential framework for assessing nature-related financial risks: identifying and navigating biodiversity risks
Ozone-depleting substances	'Ozone depletion substances' mean substances listed in the Montreal Protocol on Substances that Deplete the Ozone Layer.  European Commission (2023) Commission Delegated Regulation (EU) 2022/1288

Term	Definition
Particulate matter	A mixture of solid particles and liquid droplets (dust, dirt, soot, or smoke).
	Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services  IPBES Glossary
Peri-urban	The landscape interface between town and countryside, or the rural-urban transition zone, and which connect the urban and rural areas in functional ways. According to some authors, proximity to a town or city in itself does not define peri-urban – rather, it is the existence of both rural and urban characteristics and the linkages and flows of goods and services between rural areas and urban centres.
	laquinta, D. and Drescher, A. W. (2000) <u>Defining the peri-urban: Rural-urban linkages and institutional connections</u> . Land Reform, Land Settlement and Cooperatives 8–27
	Narain, V. (2009) <u>Growing city, shrinking hinterland: land acquisition, transition and conflict in peri-urban Gurgaon, India</u> . Environment and Urbanization 21, 501–512
Peri-urban interface	This is a concept referring to a social, economic and environmental space where the agricultural system, the urban system and the natural resource system are in constant interaction.
	Allen, A. (2003) Environmental Planning and Management of the Peri-urban Interface:  Perspectives on an Emerging Field. Environment and Urbanization 15, 135–148
Plastic	Material containing a polymer (a large chain molecule with repeating molecular units) that can be moulded into a finished product. Examples include thermoplastics, polyurethanes, elastomers, thermosets, adhesives, coatings and sealants, and PP fibres.
	CDP (2023) Technical Note- Plastics Disclosure. CDP Water Security 2023
Plastic packaging	Plastic means a polymer material to which additives or substances may have been added. When assessing the amount of plastic in a packaging component, the additives are classed as part of the plastic.
	Plastics include polymers which are:
	biodegradable
	• compostable
	oxo-degradable
	If a plastic packaging component is made from multiple materials but contains more plastic by weight (including additives which form part of the plastic) than any other substance, it will be classed as a plastic packaging component.
	Ellen MacArthur Foundation (2022) New Plastics Economy Global Commitment

Term	Definition
Pesticide	Any substance intended for preventing, destroying, attracting, repelling, or controlling any pest including unwanted species of plants or animals during the production, storage, transport, distribution and processing of food, agricultural commodities, or animal feeds or which may be administered to animals for the control of ectoparasites. The term includes substances applied to crops either before or after harvest to protect the commodity from deterioration during storage and transport. The term normally excludes fertilisers, plant and animal nutrients, food additives, and animal drugs.  Food and Agriculture Organization & World Health Organization (2019) Codex Alimentarius Commission Procedural Manual
Pesticide hazard level	The World Health Organization classification uses the Acute Toxicity Hazard Categories from the Globally Harmonised System (GHS) as the starting point for classification:  Ia) Extremely hazardous, Ib) Highly hazardous II) Moderately hazardous III) Slightly hazardous U) Unlikely to present acute hazard.  World Health Organization (2019) Classification of Pesticides by Hazard
Photo-limited	Used to describe organisms/ecosystems that are limited by light availability.  Adapted from Keith, D et al. (2020) IUCN Global Ecosystem Typology 2.0: Descriptive profiles for biomes and ecosystem functional groups
Physical water risk	Area of high physical water risk include limited water availability, flooding and poor quality of water. This also includes marine areas with high levels of land-based pollution.
Plantation forest	Planted forest that is intensively managed and meets all the following criteria at planting and stand maturity: one or two species, even age class and regular spacing.  Food and Agriculture Organization (2020) Forest Resources Assessment - Terms and Definitions
Planted forest	Forest predominantly composed of trees established through planting and/or deliberate seeding.  Food and Agriculture Organization (2020) Forest Resources Assessment - Terms and Definitions
Policy risk	Changes in the policy context due to new (or enforcement of existing) policies associated with creating positive impacts on nature or mitigating negative impacts on nature.  Adapted from Task Force on Climate-related Financial Disclosures (2017) Final Report: Recommendations on Climate-related Financial Disclosures, Financial Stability Board (2022) Final report: Supervisory and Regulatory Approaches to Climate-related Risks, Network for Greening the Financial System (NGFS) (2023) Nature-related Financial Risks: A Conceptual Framework to Guide Action by Central Banks and Supervisors

Term	Definition
Pollution	Presence of substances and heat in air, water and/or land whose nature, location, or quantity produce harmful and undesirable environmental effects.  United Nations (1997) Glossary of Environment Statistics
Pollutants	Substances and heat in air, water and/or land whose nature, location, or quantity produce harmful and undesirable environmental effects.  United Nations (1997) Glossary of Environment Statistics
Pollutants removed from land, atmosphere, ocean and freshwater	Pollution removal (or remediation) is the removal of pollutants, including chemical substances and/or energy, that are judged to be having a negative impact on the environment, specifically soils, sediments and watercourses.  Pollution remediation articles from across Nature Portfolio
Polymers	A large chain molecule with repeating molecular units.  CDP (2023) Technical Note - Plastics Disclosure. CDP Water Security 2023
Post-consumer recycled content	Proportion, by mass, of post-consumer recycled material in a product or packaging. Post-consumer material is material generated by households or by commercial, industrial and institutional facilities in their role as end users of the product which can no longer be used for its intended purpose.  Ellen MacArthur Foundation (2022) New Plastics Economy Global Commitment
Precision agriculture technologies	Precision agriculture technologies: Precision technologies — such as tractor guidance systems using a global positioning system (GPS), GPS soil and yield mapping, and variable-rate input applications (VRT) — help farms gather information on changing field conditions to adjust production practices.  USDA (2016) Precision Agriculture Technologies and Factors Affecting Their Adoption
Pressures	Human activities that directly or indirectly change the state of the environment and ecosystem. Following the Intergovernmental Platform on Biodiversity and Ecosystem Services (IPBES), five key pressures or 'drivers of nature change' contribute most to the loss of nature globally: land and sea use change; direct exploitation of organisms; climate change; pollution; and invasion of alien species. In the SBTN methods, the following categories are used to describe these pressures: Ecosystem use and ecosystem use change; resource exploitation; climate change; pollution; and invasives and others.  Science Based Targets Network (2023) Glossary of Terms

Term	Definition
Primary forest	Naturally regenerated forest of native tree species, where there are no clearly visible indications of human activities, and the ecological processes are not significantly disturbed.
	Explanatory notes:
	1. Includes both pristine and managed forests that meet the definition.
	2. Includes forests where Indigenous Peoples engage in traditional forest stewardship activities that meet the definition.
	3. Includes forests with visible signs of abiotic damages (such as storm, snow, drought and fire) and biotic damages (such as insects, pests and diseases).
	4. Excludes forests where hunting, poaching, trapping or gathering have caused significant native species loss or disturbance to ecological processes.
	5. Examples of key characteristics of primary forests:
	<ul> <li>they show natural forest dynamics, such as natural tree species composition, occurrence of dead wood, natural age structure and natural regeneration processes;</li> <li>the area is large enough to maintain its natural ecological processes;</li> </ul>
	<ul> <li>there has been no known significant human intervention, or the last significant human intervention was long enough ago to have re-established natural species composition and processes.</li> </ul>
	Food and Agriculture Organization (2020) Forest Resources Assessment - Terms and Definitions
Primary, secondary and tertiary plastic packaging	Primary packaging is the packaging that contains the product. Secondary packaging includes boxes or containers containing specific quantities of primary packages. Tertiary packaging includes pallets and large shipping containers for storing and warehousing.
	All three types are used to ship products from the production line to the consumer; each level represents a different scale.
	Air Sea Containers (2021) Guide to the Three Levels of Packaging



Term	Definition
"Prior and informed consent" or "free, prior and informed consent" or "approval and involvement"	Free implies that indigenous peoples and local communities are not pressured, intimidated, manipulated or unduly influenced and that their consent is given, without coercion; Prior implies seeking consent or approval sufficiently in advance of any authorization to access traditional knowledge respecting the customary decision-making processes in accordance with national legislation and time requirements of indigenous peoples and local communities; Informed implies that information is provided that covers relevant aspects, such as: the intended purpose of the access; its duration and scope; a preliminary assessment of the likely economic, social, cultural and environmental impacts, including potential risks; personnel likely to be involved in the execution of the access; procedures the access may entail and benefit-sharing arrangements; Consent or approval is the agreement of the indigenous peoples and local communities who are holders of traditional knowledge or the competent authorities of those indigenous peoples and local communities, as appropriate, to grant access to their traditional knowledge to a potential user and includes the right not to grant consent or approval; Involvement refers to the full and effective participation of indigenous peoples and local communities, in decision-making processes related to access to their traditional knowledge. Consultation and full and effective participation of indigenous peoples and local communities are crucial components of a consent or approval process.  Convention on Biological Diversity (2018) Glossary of Relevant Terms
Priority locations	<ul> <li>Priority locations are locations that are:</li> <li>Material locations: Locations where an organization has identified material nature-related dependencies, impacts, risks and opportunities in its direct operations and upstream and downstream value chain(s); and/or</li> <li>Sensitive locations: Locations where the assets and/or activities in its direct operations – and, where possible upstream and downstream value chain(s) – interface with nature in:</li> <li>Areas important for biodiversity; and/or</li> <li>Areas of high ecosystem integrity; and/or</li> <li>Areas of rapid decline in ecosystem integrity; and/or</li> <li>Areas of high physical water risks; and/or</li> <li>Areas of importance for ecosystem service provision, including benefits to Indigenous Peoples, Local Communities and stakeholders.</li> </ul>
Probabilistic forecasts	Rely on statistical probabilities and are often used as different starting points for econometric and statistical forecasts.  Millett, Stephen M (2009) Should Probabilities Be Used With Scenarios?, Journal of Future Studies 13.4

Term	Definition
Product and services opportunity	Value proposition related to the creation or delivery of products and services that protect, manage or restore nature, including technological innovations.  TNFD
Product dry matter	Dry matter is what remains after all of the water is evaporated out of a feed: grain and fresh or dried forages. Fresh pasture has high water content and will have a lower percentage of dry matter than an equivalent weight of dryer feed, such as hay or grain. Dry matter is an indicator of the amount of nutrients that are available to the animal in a particular feed.  California Certified Organic Farmers (2020) What is dry matter and why is this important?
Protected area	A clearly defined geographical space, recognised, dedicated and managed, through legal or other effective means, to achieve the long-term conservation of nature with associated ecosystem services and cultural values.  International Union for Conservation of Nature (2018) Guidelines for Applying Protected Area Management Categories
Qualitative scenario analysis	Analysis that focuses on the identification of trends and on the overarching narratives of the scenarios, often providing insight into less quantifiable characteristics of an organization such as strategy, agility, philosophy, vision, and culture. This kind of analysis can weave together multiple trends of various scales and complexity into a narrative to provide context relevant to an organization's strategy.  Office of the Vice President for Research, Cambridge, Massachusetts Institute of Technology (2019) Climate-related Financial Disclosures: Use of Scenarios
Quantitative scenario analysis	Analysis that refers to the use of quantified information within a scenario. It can take many forms, from numerical descriptions of trends and other factors, to the use of techniques such as trend analysis, sensitivity analysis and modeling of an organization's climate and nature-related risks.  Office of the Vice President for Research, Cambridge, Massachusetts Institute of Technology (2019) Climate-related Financial Disclosures: Use of Scenarios
Radioactive waste	Radioactive waste as defined in Article 3(7) of Council Directive 2011/70/Euratom.  European Commission (2023) Adapted from Commission Delegated Regulation (EU) 2022/1288
Rate of reuse and recycling	The ratio between total waste generated excluding major mineral wastes and the quantities that were managed through reuse and recycling.  European Environment Agency (2022) Waste and Recycling in Europe

Term	Definition
Raw material content	Primary or secondary material that is used to produce a product.  European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards
Realm	Major components of the living, natural world that differ fundamentally in ecosystem organization and function: terrestrial (land), freshwater, marine (ocean), subterranean and atmospheric. The TNFD's framework is based on four realms - land, freshwater, ocean and atmosphere. The subterranean realm is included within the land, freshwater and ocean realms.  Adapted from Keith A. et al. (2020) IUCN Global Ecosystem Typology 2.0: Descriptive Profiles for Biomes and Ecosystem Functional Groups
Recyclable packaging	A packaging or packaging component is recyclable if its successful post-consumer collection, sorting and recycling is proven to work in practice and at scale.  Ellen MacArthur Foundation (2022) New Plastics Economy Global Commitment
Recyclable plastic	A packaging or packaging component is recyclable if its successful post-consumer collection, sorting, and recycling is proven to work in practice and at scale.  A package can be considered recyclable if its main packaging components, together representing >95% of the entire packaging weight, are recyclable according to the above definition, and if the remaining minor components are compatible with the recycling process and do not hinder the recyclability of the main components. 'At scale' is considered a 30% recycling rate.  Ellen MacArthur Foundation (2022) New Plastics Economy Global Commitment
Reference condition	The condition against which past, present and future ecosystem condition (or other aspect of the state of nature) is compared in order to measure relative change over time.
Reforestation	The re-growth of forests after a temporary (< 10 years.) condition with less than 10% canopy cover due to human-induced or natural perturbations.  Food and Agriculture Organization (2000) On Definitions of Forest and Forest Change

Term	Definition
Regenerated second-growth forests	Regenerated (second-growth) forests were subject to major impacts in the past (for instance by agriculture, livestock raising, tree plantations, or intensive logging) but where the main causes of impact have ceased or greatly diminished and the ecosystem has attained much of the species composition, structure, and ecological function of prior or other contemporary natural ecosystems.  Accountability Framework Initiative (2019) Terms and Definitions
Regenerative agriculture	There is no scientific consensus definition of regenerative agriculture; rather there are process (use of cover crops, reduced tillage, etc.), principle and outcome-based definitions (improved soil health, etc.). As TNFD adopts an outcome-based opportunity definition, based on business activities that deliver nature positive outcomes, a business should as a minimum use a definition of regenerative agriculture that allows it to capture the nature-positive outcomes in terms of improvements to environmental assets and flows in ecosystem services based on producing or sourcing from the regenerative farm practices. The most cited outcomes as part of a definition of regenerative agriculture in scientific literature include improved soil health, increased carbon sequestration and increase in biodiversity.  Newton et al. (2020) What is Regenerative Agriculture? A Review of Scholar and Practitioner Definitions Based on Processes and Outcomes, Front Sust. Food Syst
Renewable	Material that is composed of biomass from a living source and that can be continually replenished. When claims of renewability are made for virgin materials, those materials shall come from sources that are replenished at a rate equal to or greater than the rate of depletion.  Ellen MacArthur Foundation (2022) New Plastics Economy Global Commitment
Reputation risk	Changes in perception concerning a company's actual or perceived nature impacts, including at a local, economic and societal level, that can result from direct company impacts, industry impacts, and/or impacts of upstream / downstream operations.  Adapted from Task Force on Climate-related Financial Disclosures (2017) Final Report: Recommendations on Climate-related Financial Disclosures, Financial Stability Board (2022) Final report: Supervisory and Regulatory Approaches to Climate-related Risks, Network for Greening the Financial System (NGFS) (2023) Nature-related Financial Risks: A Conceptual Framework to guide Action by Central Banks and Supervisors, Organisation for Economic Co-operation and Development (2023 forthcoming) A prudential framework for assessing nature-related financial risks: identifying and navigating biodiversity risks

Term	Definition
Reputational capital opportunity	Changes in perception concerning a company's actual or perceived nature impacts, including the consequent impacts on society and engagement of stakeholders.  TNFD
Resilience	Resilience is defined as having the capacity to live and develop with change and uncertainty. It provides capacities for turning risks into opportunities. This includes: (1) adaptive capacities to absorb shocks and turbulence and avoid unpleasant tipping points, thresholds, and regime shifts; (2) capacities to prepare for, learn from, and navigate uncertainty and surprise; (3) capacities for keeping options alive and creating space for innovation; and (4) capacities for systemic transformation in the face of crises and unsustainable development pathways and traps.  Folke, C. et al. (2016) Social-Ecological Resilience and Biosphere-Based Sustainability Science, Ecology and Society 21(3):41,  Rockström, J.et al. Krishnan, L. Warszawski, and D. Nel. (2023) Shaping a Resilient Future in Response to COVID-19, Nature Sustainability
Resource efficiency opportunity	Actions an organization can take within its own operations or value chain in order to avoid or reduce impacts and dependencies on nature (for example, by utilising less natural resources), while achieving co-benefits such as improved operational efficiency or reduced costs (for example, micro irrigation which maximises plant health, reduces water use and reduces costs).  TNFD
Restoration	The process of assisting the recovery of an area or ecosystem that has been degraded, damaged, or destroyed. The aim of ecological restoration is to re-establish the ecosystem's composition, structure and function, usually bringing it back to its original (pre-disturbance) state or to a healthy state close to the original. An ecosystem is restored when it contains sufficient biotic and abiotic resources to sustain itself structurally and functionally and can continue its development without further assistance or subsidy. It will demonstrate resilience to normal ranges of environmental stress and disturbance and interact with contiguous ecosystems in terms of biotic and abiotic flows and cultural interactions. (Ecosystem restoration is sometimes used interchangeably with ecological restoration, but ecological restoration always addresses biodiversity conservation and ecological integrity, whereas some approaches to ecosystem restoration may focus solely on the delivery of ecosystem services).  Adapted from Gann G.D. et al. (2019) International Principles and Standards for the Practice of Ecological Restoration. Restoration Ecology Volume 27, Issue S1

Term	Definition
Reusable packaging	Packaging which has been designed to accomplish or proves its ability to accomplish a minimum number of trips or rotations in a system for reuse.  Ellen MacArthur Foundation (2022) New Plastics Economy Global Commitment
Re-usable plastics	An item of packaging can be defined as reusable if it is conceived, designed and marketed to carry out multiple trips in its lifetime by being refilled or reused for the same purpose for which it was conceived. Reusable packaging should be designed to be recyclable as far as possible, as it will inevitably reach the maximum number of reuse cycles at some point, after which recycling ensures the material is kept in the economy.  Ellen MacArthur Foundation (2022) New Plastics Economy Global Commitment
Revenue	Revenue is the gross inflow of economic benefits during a financial year arising from the course of the ordinary activities of an entity when those inflows result in increases in equity, other than increases relating to contributions from equity participants.  Adapted from International Financial Reporting Standards IAS 18 Revenue
Rewetted	All deliberate actions that aim to bring the water table of a drained peatland (i.e. the position relative to the surface) back to that of the original, peat-forming peatland. When this goal has been reached, the peatland is 'rewetted'.  Ramsar Convention (2021) Global Guidelines for Peatland Rewetting and Restoration
Rewilding	Rewilding aims to restore ecosystems and reverse biodiversity declines by allowing wildlife and natural processes to reclaim areas no longer under human management. Well-applied rewilding can restore ecosystems at a landscape scale, help mitigate climate change, and provide socio-economic opportunities for communities. Evidence-based rewilding principles will guide practitioners to rewild safely, help assess the effectiveness of projects, and incorporate rewilding into global conservation targets.  International Union for Conservation of Nature (2021) Issue Brief: The Benefits and Risks of Rewilding
Risk management	The process of identifying potential threats, assessing organizational vulnerabilities, determining risks and implementing appropriate risk management techniques to minimise the negative impact they may have on an organization. The most common types of risk management techniques include avoidance, mitigation, transfer and acceptance.  Task Force on Climate-related Financial Disclosures (2020) Guidance on Scenario Analysis for Non-Financial Companies

Term	Definition
River catchments and watersheds	A water catchment (also known as a watershed or basin) is an area of land where all water flows and is directed into a single stream or river. Natural boundaries of water catchments can vary in scale and can be very small for a single stream or river, or very broad for a large river such as the Amazon or Congo Rivers. Land and freshwater use in a watershed can affect the entire length of river depending on the intensity of the use and impact.  Adapted from Freshwater Information Platform
Scenarios	A scenario is a logically consistent story that describes a plausible future. It identifies some significant events, the main actors and their motivations, and how the world functions in this plausible future. It is intended to challenge thinking about what the future might be like and how they might respond under circumstances different from those they face today.  Adapted from Task Force on Climate-related Financial Disclosures (2020) Guidance on Scenario Analysis for Non-Financial Companies
Scenario pathways	Refer to the political, technological and economic developments and associated risk drivers (e.g. which sectors and regions bear the most emissions reductions, or which energy technologies win out in different economies) that lead to a particular scenario outcome. Distinctively different pathways can lead to the same outcome.  Office of the Vice President for Research, Cambridge, Massachusetts Institute of Technology (2019) Climate-related Financial Disclosures: Use of Scenarios
Scenario storyline	A narrative description of a scenario (or family of scenarios), highlighting the main scenario characteristics, relationships between key driving forces, and the dynamics of their evolution. Also referred to as 'narratives' in the scenario literature.  Task Force on Climate-related Financial Disclosures (2020) Guidance on Scenario Analysis for Non-Financial Companies
Science-based targets for nature (or SBTs)	Measurable, actionable and time-bound objectives based, on the best available science, that allow actors to align with Earth's limits and societal sustainability goals.  Science Based Targets Network (2023) SBTN Glossary of Terms
Scope 1, 2 and 3 emissions	Refer to TCFD Glossary and/or GHG Protocol for climate-related definitions.

Term	Definition
Seafood	Whole or part of organisms (e.g. fish, molluscs, crustaceans, algae) derived from aquatic environments (i.e. caught or cultured in marine and freshwater habitats) that are consumed by humans.  Ocean Wise Seafood (2023) Ocean Wise Seafood Scoring Methodology and Rating System
Seafood protein	Large molecules made of amino acids found in seafood.  Food and Agriculture Organization (2023) Nutrition
Seabed/Sea floor	The bottom of the ocean. Also known as sea floor; sea bottom. The ocean floor is defined as the near-horizontal surface of the ocean basin.  European Environment and Observation Network (2021) Sea bed
Sea lice	A term used to describe many species of ectoparasitic copepods of the genera Lepeophtheirus and Caligus. The common name 'salmon lice' is frequently used to refer to L. salmonis, which has become an economically important parasite in salmon farming. Another important salmon louse in salmonid and marine fish farming is Caligus elongatus. In Scotland there are two other species of lice that may be a problem for cultured fish, Caligus curtis and Lepeophtheirus hippoglossi.  The Fish Site (2023) Disease Guide
Semi-natural forest	<ol> <li>Forest of native species, established through planting, seeding or assisted natural regeneration.</li> <li>Explanatory notes:</li> <li>Includes areas under intensive management where native species are used and deliberate efforts are made to increase/optimise the proportion of desirable species, leading to changes in the structure and composition of the forest.</li> <li>Naturally regenerated trees from species other than those planted or seeded may be present.</li> <li>May include areas with naturally regenerated trees of introduced species.</li> <li>Includes areas under intensive management where deliberate efforts, such as thinning or fertilising, are made to improve or optimise desirable functions of the forest. These efforts may lead to changes in the structure and composition of the forest.</li> <li>Food and Agriculture Organization (2005) Global Forest Resources Assessment Update</li> </ol>

Term	Definition
Sensitivity analyses	Assess how a planning model's outputs change when important inputs vary within expected ranges (e.g. $\pm 10\%$ , $\pm 10\%$ ). TNFD
Sensitive locations	Locations where the assets and/or activities in an organisation's direct operations – and, where possible upstream and downstream value chain(s) – interface with nature in:  • Areas important for biodiversity; and/or  • Areas of high ecosystem integrity; and/or  • Areas of rapid decline in ecosystem integrity; and/or  • Areas of high physical water risks; and/or  • Areas of importance for ecosystem service provision, including benefits to Indigenous Peoples, Local Communities and stakeholders.  TNFD
Sludge	Sludge is a solid type of aquaculture waste which contains nitrogenous compound, phosphorus and other dissolved organic carbon that could affect the environment negatively when the concentration present is higher than usual. Sludge is formed due to large quantities of excessive feed and organic degradation matters.  Jasmin, M. Y. et al. (2020) Potential of bioremediation in treating aquaculture sludge:  Review article. Aquaculture 519.
Social impact assessment	A process of evaluating the likely impacts, both beneficial and adverse, of a proposed development that may affect the rights, which have an economic, social, cultural, civic and political dimension, as well as the well-being, vitality and viability, of an affected community – that is, the quality of life of a community as measured in terms of various socio-economic indicators, such as income distribution, physical and social integrity and protection of individuals and communities, employment levels and opportunities, health and welfare, education, and availability and standards of housing and accommodation, infrastructure, services.  Convention on Biological Diversity Glossary of Relevant Terms
Soil degradation	A change in soil health status, resulting in a diminishing capacity of the ecosystem to provide goods and services for its beneficiaries. The main types of soil degradation are defined by four categories: 1) soil erosion 2) soil fertility reduction 3) soil fertility reduction 4) soil salinisation 5) waterlogging.  Food and Agriculture Organization (2021) Guidance on Core Indicators for Agrifood Systems: Measuring the Private Sector's Contribution to the Sustainable Development Goals

Term	Definition
Soil fertility	The ability of a soil to sustain plant growth by providing essential plant nutrients and favourable chemical, physical and biological characteristics as a habitat for plant growth.  Food and Agriculture Organization, Global Soils Partnership
Soil organic carbon stock	Soil carbon stocks express a balance between organic inputs and their stepwise decomposition by soil biota. The stock (tC ha-1) can be estimated as the sum over annual inputs (tC ha-1 year-1) multiplied with mean residence time (year) similar to tree cover transition.  Van Noordwijk M (2014) Climate Change: Agricultural Mitigation, Encyclopedia of Agriculture and Food Systems
Soil salinisation	An increase in the salt content of the soil, often as a result of irrigation practices. Excess salt uptake hinders crop growth by obstructing the ability to uptake water, causing loss of soil fertility and desertification.  Kumar and Droby (2021) Microbial Management of Plant Stresses
Species	A fundamental category for the classification and description of organisms, defined in various ways but typically on the basis of reproductive capacity; i.e. the members of a species can reproduce with each other to produce fertile offspring but cannot do so with individuals outside the species.  Levin, S. A. ed. (2009) The Princeton Guide to Ecology (Princeton, NJ: Princeton University Press)
Species composition	The array of species in a specific sample, community, or area.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (2019) The Global Assessment Report on Biodiversity and Ecosystem Services
Species richness	The number of species within a given sample, community or area.  Hassan R, Scholes R, Ash N (eds) (2005) Millenium Ecosystem Assessment:  Ecosystems and Human Wellbeing, Volume 1, Current State and Trends. Island  Press, Washington
Spill to the environment	Any unintended release of liquids or solids associated with current operation, from primary containment or secondary containment, into the environment.  International Petroleum Industry Environmental Conservation Association (2020)  Sustainability Reporting Guidance for the Oil and Gas Industry

Term	Definition
Stakeholder engagement	Stakeholder engagement involves interactive processes of engagement with relevant stakeholders, through, for example, meetings, hearings or consultation proceedings. Effective stakeholder engagement is characterised by a two-way communication and depends on the good faith of the participants on both sides.  Adapted from UN Guiding Principles Reporting Framework
Stakeholders	Stakeholders are persons or groups who are directly or indirectly affected by a project, as well as those who may have interests in a project and/or the ability to influence its outcome, either positively or negatively.  Adapted from <a href="UN Guiding Principles Reporting Framework">UN Guiding Principles Reporting Framework</a>
State of nature	The condition and extent of ecosystems, and species population size and extinction risk, including positive or negative changes.  Adapted from United Nations.et al. (2021) System of Environmental-Economic Accounting - Ecosystem Accounting (SEEA EA)
Stress tests	Stress tests represent difficult 'edge cases' that are developed by putting extreme values of a relevant variable or small number of variables into existing planning models. The objective of stress testing is to assess how the results of those models change in response.  Adapted from Task Force on Climate-related Financial Disclosures (2020) Guidance on Scenario Analysis for Non-Financial Companies
Stressed watersheds	Watersheds, where the demand for water exceeds the available amount during a certain period, or when poor quality restricts its use. Water stress freshwater resources to deteriorate in quantity (aquifer over-exploitation, dry rivers, etc.) and quality (eutrophication, organic matter pollution, saline intrusion, etc.).  Adapted from European Environment Agency (1999) Environment in the European Union at the Turn of the Century. Page 155. Environmental Assessment Report No 2

Term	Definition
Structural connectivity for species	A measure of habitat permeability based on the physical features and arrangements of habitat patches, disturbances and other land, freshwater or seascape elements presumed to be important for organisms to move through their environment. Structural connectivity is used in efforts to restore or estimate functional connectivity where measures of it are lacking.  Hilty, J. et al. (2019) Corridor Ecology: Linking Landscapes for Biodiversity Conservation and Climate Adaptation. 2nd ed. Washington, DC: Island Press; as cited in Hilty. J. et al. (2020) Guidelines for Conserving Connectivity through Ecological Networks and Corridors. Best Practice Protected Area Guidelines Series No. 30. Gland, Switzerland: IUCN
Subtidal	The area below low tide that is always underwater, typically referring to depths <100 m.  Adapted from Kain (Jones), J.M. (1989) The Seasons in the Subtidal. British Phycological Journal 24, 203–215
Supply chain	The linear sequence of processes, actors, and locations involved in the production, distribution, and sale of a commodity from start to finish.  Task Force on Climate-related Financial Disclosures (2020) Guidance on Scenario Analysis for Non-Financial Companies
Sustainable forest management	A dynamic and evolving concept, intended to maintain and enhance the economic, social and environmental value of all types of forests for the benefit of present and future generations, considering the following seven thematic elements as a reference framework:  1. extent of forest resources; 2. forest biodiversity; 3. forest health and vitality; 4. productive functions of forest resources; 5. protective functions of forest resources; 6. socio-economic functions of forests; and 7. legal, policy and institutional framework. Food and Agriculture Organization Sustainable Forest Management
Sustainably managed (used)	The use of components of biological diversity in a way and at a rate that does not lead to the long-term decline of biological diversity, thereby maintaining its potential to meet the needs and aspirations of present and future generations.  European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards

Term	Definition
Sustainable production / sustainable-consumption and production	The use of services and related products, which respond to basic needs and bring a better quality of life while minimising the use of natural resources and toxic materials as well as the emissions of waste and pollutants over the life cycle of the service or product so as not to jeopardise the needs of future generations.  Note – this definition in UN Environment Programme defines sustainable-consumption and production, known as 'SCP'.  United Nations Environment Programme Sustainable Consumption and Production Policies
Sustainable use of natural resources opportunity	Substitution of natural resources by recycled, regenerative, renewable and/or ethically responsibly sourced organic inputs.  TNFD
Target	Specific quantitative and time-bound objective, preferably with a defined means of measurement.  Science Based Targets Network (2020) Science Based Targets for Nature: Initial Guidance for Business
Target boundary (science-based targets)	The corporate scope of the target, specific to each issue area. The target boundary may be defined in terms of the value chain aspect covered, as well as the specific locations, products, brands, etc. that will be in focus in a given time period.  Science Based Targets Network (2023) SBTN Glossary of Terms
Technology risk	Substitution of products or services with a reduced impact on nature and/or reduced dependency on nature.  For example, loss of pollinators may be replaced by mechanical pollination technologies.  Adapted from Task Force on Climate-related Financial Disclosures (2017) Final Report:  Recommendations on Climate-related Financial Disclosures, Financial Stability Board (2022) Final report: Supervisory and Regulatory Approaches to Climate-related Risks;  Network for Greening the Financial System (2023) Nature-related Financial Risks, A  Conceptual Framework to guide Action by Central Banks and Supervisors
Telecoupling	The interactions or linkages in socioeconomic and environmental issues between two or more geographic areas, e.g., in agricultural expansion, due to shared drivers and economic globalization.  Liu et al. (2015) Multiple Telecouplings and Their Complex Interrelationships

Term	Definition
Thermal pollution	Deviation from the natural temperature in a habitat. Can range from elevated temperatures associated with industrial cooling activities to discharges of cold water into streams below large impoundments.  Kennedy (2004) Thermal Pollution, Encyclopaedia of Energy
Third party certification standards	A third party with no stake in the business has determined that the final product complies with specific standards for safety, quality or performance.  Food and Agriculture Organization (2003) Environmental and Social Standards,  Certification and Labelling for Cash Crops
Threatened ecosystem	Ecosystem assessed as facing a high risk of collapse in the medium-term.  International Union for Conservation of Nature (2017) Guidelines for the application of IUCN Red List of Ecosystems Categories and Criteria
Threatened species	Species assessed as facing a high risk of extinction in the wild in the medium-term. This includes flora and fauna listed in the IUCN Red List.  International Union for Conservation of Nature (2012) IUCN Red List categories and criteria
Threshold (ecological)	The point at which a relatively small change in external conditions causes a rapid change in an ecosystem. When an ecological threshold has been passed, the ecosystem may no longer be able to return to its state by means of its inherent resilience.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services  IPBES Glossary
Threshold effect	Harmful or fatal effect of a small change in environmental conditions that exceeds the limit of tolerance of an organism or population of a species.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services  IPBES Glossary
Tipping point	A level of change in system properties beyond which a system reorganises, often abruptly, and does not return to the initial state even if the drivers of the change are abated.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services  IPBES Glossary

Term	Definition
Total surface area owned or leased	A clearly defined geographical space which an entity has the power to govern financially and operationally so as to obtain benefits from its activities.  TNFD
Traceable	The ability to follow a product or its components through stages of the supply chain (e.g. production, processing, manufacturing, and distribution).  Accountability Framework Initiative (2019) <u>Terms and Definitions</u>
Traditional knowledge	The knowledge, innovations and practices of Indigenous and Local Communities embodying traditional lifestyles relevant for the conservation and sustainable use of biological diversity.  Convention on Biological Diversity (2018) Glossary of Relevant Terms
Transition pathway	Transition pathways set out the different ways in which a specific target can be achieved (e.g. different pathways to the same temperature rise outcome of 1.5°C).  MIT Climate Action (2019) Climate-related Financial Disclosures: Use of Scenarios
Tree cover loss	Conversion of a tree-dominated land use type to a non-tree-dominated land use type. Note that deforestation is included in this, but that not all tree cover loss is deforestation, as it could also include tree cover loss within commercial forest plantations.
Tributary	A tributary is a stream or river that flows into a larger stream or mainstem river. A tributary does not flow directly into a sea or ocean.  Adapted from Freshwater Information Platform



Term	Definition
Unintentional / intentional introduction of invasive alien species	Species whose intentional or unintentional introduction and/or spread by human action outside their natural distribution threatens biological diversity, food security, and human health and well-being. 'Alien' refers to the species having been introduced outside its natural distribution ('exotic', "non-native' and 'nonindigenous' are synonyms for 'alien'). 'Invasive' means tending to expand into and modify ecosystems to which it has been introduced. Thus, a species may be alien without being invasive, or, in the case of a species native to a region, it may increase and become invasive, without actually being an alien species.  Adapted from Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services IPBES Glossary, European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards
Uncertainty	A state of incomplete knowledge that can result from a lack of information or from disagreement about what is known or even knowable. It may have many types of sources, from imprecision in the data to ambiguously defined concepts or terminology, incomplete understanding of critical processes, or uncertain projections of human behaviour. Uncertainty can therefore be represented by quantitative measures (e.g. a probability density function) or by qualitative statements (e.g. reflecting the judgment of a team of experts).
	Task Force on Climate-Related Financial Disclosures (2020) <u>Guidance on Scenario</u> <u>Analysis for Non-Financial Companies</u>
	'Critical uncertainties' define risk measures, creating a tractable approach that can be customised to an organization's specific context, but still create a common approach to aggregate data.
Upstream	All activities associated with suppliers, such as production or cultivation, sourcing of commodities or goods, and the transportation of commodities to manufacturing facilities.  Science Based Targets Network (2023) <a href="SBTN Glossary of Terms">SBTN Glossary of Terms</a>
Upwelling	A process in which deep, cold water rises toward the surface.  Adapted from Keith, D et al. (2020) IUCN Global Ecosystem Typology 2.0: Descriptive profiles for biomes and ecosystem functional groups

Term	Definition
Urban and industrial ecosystems	Structurally complex ecosystems of cities, smaller settlements and industrial areas.  Defined by high patchiness, change through time and dense human population.  Keith, D.A. et al. (2022) A Function-based Typology for Earth's Ecosystems. Nature 610, 513–518
Urban land teleconnections (ULT)	ULT conceptualises how urbanisation and land use intertwine, to show how places are linked through processes. Examples of ULTs include the extraction of raw materials for construction of the built environment, and the unique patterns of residential development and land use that occur when tourists become residents with permanent or second homes.  Güneralp, B., Seto, K.C. & Ramachandran, M. (2013) Evidence of Urban Land Teleconnections and Impacts on Hinterlands, Current Opinion in Environmental Sustainability, Volume 5(5), 445–451
Urban metabolism	A useful tool to study urban ecosystems is urban metabolism analysis. It can be approached from two points of view, either in terms of energy or in terms of flows of water, material and nutrients of the city, in terms of the rate of mass flow per unit area (called mass fluxes). These approaches are used to address, for example, the urban sustainability indicators.  Zhang, Y. (2013) <u>Urban Metabolism: A Review of Research Methodologies</u> , Environmental Pollution, Volume 178, 463–473  Kennedy, C., Pincetl, S. & Bunje, P. (2011) <u>The Study of Urban Metabolism and its Applications to Urban Planning and Design</u> , Environmental Pollution, Volume" 159, 1965–1973
Urban and peri- urban agriculture	Practices that yield food and other outputs through agricultural production and related processes (transformation, distribution, marketing, recycling), taking place on land and other spaces within cities and surrounding regions. It involves urban and peri-urban actors, communities, methods, places, policies, institutions, systems, ecologies and economies, largely using and regenerating local resources to meet changing needs of local populations while serving multiple goals and functions.  Food and Agriculture Organization of the United Nations <u>Urban and Peri-Urban Agriculture</u>
Validation (science- based targets)	An independent process involving expert review to ensure target meets required criteria and methods of science-based targets.  Science Based Targets Network (2023) SBTN Glossary of Terms

Term	Definition
Valuation	The process of estimating the relative importance, worth, or usefulness of natural capital to people (or to a business), in a particular context. Valuation may involve qualitative, quantitative, or monetary approaches, or a combination of these.  Capitals Coalition (2016) Natural Capital Protocol
Valuation technique	The specific method used to determine the importance, worth, or usefulness of something in a particular context.  Capitals Coalition (2016) Natural Capital Protocol
Value at Risk	Value at Risk is a measure of a potential loss in a portfolio, which estimates how much a set of investments might lose at a maximum, with a given probability (e.g. 99.5%, 99.9%), in a set time period. It requires estimation of the probability distribution for the changes in the value of the portfolio.  Task Force on Climate- Related Financial Disclosures (2020) Forward-Looking Financial Sector Metrics
Value chain	The full range of interactions, resources and relationships related to a reporting entity's business model and the external environment in which it operates.  A value chain encompasses the interactions, resources and relationships an entity uses and depends on to create its products or services from conception to delivery, consumption and end-of-life, including interactions, resources and relationships in the entity's operations, such as human resources; those along its supply, marketing and distribution channels, such as materials and service sourcing, and product and service sale and delivery; and the financing, geographical, geopolitical and regulatory environments in which the entity operates.  International Financial Reporting Standard (2023) S1 General Requirements for Disclosure of Sustainability-related Financial Information
Verification (science-based targets)	An independent third-party confirmation of either or both: a) baseline values of a target indicator (e.g. a company's water or GHG inventory) and b) progress made toward achieving the target.  Science Based Targets Network (2023) SBTN Glossary of Terms
Vertical connection/ groundwater connection/vadose zone	The terrestrial sub-surface water that has a connection to surface water and to the regional groundwater table.  Adapted from Marle, P., Riquier, J., Timoner, P., Mayor, H., Slaveykova, V.I., Castella, E. (2022) Thermal Regime, Together with Lateral Connectivity, Control Aquatic Invertebrate Composition in River Floodplains. Freshwater Biology 67, 1774–1788

Term	Definition
Voluntary conservation / voluntary restoration	Voluntary conservation and restoration refer to conservation and restoration activities that are not required by statutes or regulations.  TNFD
Voluntary credit market schemes	Voluntary credit markets enable businesses, governments, non-profit organizations, universities, municipalities, and individuals to offset their impacts on biodiversity outside a regulatory regime. Trading and demand in the voluntary market are created only by voluntary buyers (corporations, institutions, and individuals).  Adapted from Carbon Offset Research and Education Program Carbon Offset Guide
Vulnerability	The propensity or predisposition to be adversely affected. Vulnerability encompasses a variety of concepts and elements, including sensitivity or susceptibility to harm and lack of capacity to cope and adapt.  Intergovernmental Panel on Climate Change (2022) Annex II: Glossary in: Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change
Wastewater discharge	Sum of effluents, used water, or other water leaving the boundaries of the organization and released to surface water, groundwater, seawater, or a third party, for which the organization has no further use, over the course of the reporting period.  Adapted from GRI (2022) GRI Standards Glossary  European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards
Waste	Any substance or object that the holder discards, intends to discard, or is required to discard. Waste can be defined according to the national legislation at the point of generation.  Adapted from United Nations Environment Programme (1989) Basel Convention on the Control of Transboundary Movements of Hazardous Wastes and their Disposal, GRI (2022) GRI Standards Glossary

Term	Definition
Waste disposal	Disposal is any operation which is not recovery, even where the operation has as a secondary consequence the recovery of energy.
	Note: Disposal is the end-of-life management of discarded products, materials, and resources in a sink or through a chemical or thermal transformation that makes these products, materials, and resources unavailable for further use.
	GRI (2022) <u>GRI Standards Glossary</u> from EU (2008) Waste Framework Directive (Directive 2008/98/EC)
Waste disposal methods	Methods by which waste is treated or disposed of. Examples include composting, deep well injection, incineration, landfill, on-site storage, recovery, recycling and reuse.
	GRI (2022) <u>GRI Standards Glossary</u> from UN (1997) Glossary of Environment Statistics, Studies in Methods, Series F, No. 67
Waste incineration	Controlled burning of waste at high temperatures.
	GRI (2022) <u>GRI Standards Glossary</u> from UN (1997) Glossary of Environment Statistics, Studies in Methods, Series F, No. 67
Waste recovered	Components of products, or materials that have become waste that are prepared to fulfill a purpose in place of new products, components, or materials that would otherwise have been used for that purpose.
	United Nations Environment Programme (1989) <u>Basel Convention on the Control of</u> <u>Transboundary Movements of Hazardous Waste and their Disposal</u>
Waste recycled	Reprocessing of products or components of products that have become waste, to make new materials.
	United Nations Environment Programme (1989) <u>Basel Convention on the Control of</u> <u>Transboundary Movements of Hazardous Waste and their Disposal</u>
Waste reused	Reprocessing of products or components of products that have become waste, to make new materials.
	United Nations Environment Programme (1989) <u>Basel Convention on the Control of</u> <u>Transboundary Movements of Hazardous Waste and their Disposal</u>
Wastewater temperature	Products or components of products that have become waste are prepared to be put to use for the same purpose for which they were conceived.
	Adapted from European Union (2008) Waste Framework Directive (Directive 2008/98/EC)



Term	Definition
Water column	A concept used in oceanography to describe the physical (temperature, salinity, light penetration) and chemical (pH, dissolved oxygen, nutrient salts) characteristics of seawater at different depths for a defined geographical point. The water column extends from the surface to the bottom of the ocean and may reach 11 km in depth (Mariana trench in the Pacific). The physical and chemical characteristics determine the distribution of living organisms in the ocean. At the surface, sunlight provides photosynthesis and the deeper we go, the darker and colder the environment becomes (2°C at great depths). Only organisms capable of resisting the increase in pressure (1 bar per 10 m) may survive and develop here.  Geo-Ocean (2021) The Water Column
Water consumption	The amount of water drawn into the boundaries of the undertaking (or facility) and not discharged back to the water environment or a third party over the course of the reporting period. Water consumption is equal to water withdrawal less water discharge.  European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards
Water produced	Water that enters the organization's boundary as a result of extraction (e.g. crude oil), processing (e.g. sugar cane crushing), or use of any raw material, and has to consequently be managed by the organization.  CDP (2023) Water Security Questionnaire, GRI (2022) GRI Standards Glossary
Water quality	The biological, chemical and physical properties of water, often assessed against a usage standard, such as whether its quality can support freshwater biodiversity, be used for drinking water for people, or irrigation. Note that standards and definitions of water quality vary across use cases.  United Nations Environment Programme (2008) Water Quality Index for Biodiversity Technical Development Document
Water reused/ recycled	Water and wastewater (treated or untreated) that has been used more than once before being discharged from the undertaking's or shared facilities' boundary, so that water demand is reduced. This may be in the same process (recycled), or used in a different process within the same facility (own or shared with other undertakings) or another of the undertaking's facilities (reused).  European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards

Term	Definition
Water reduced	An organization can reduce its water withdrawal and consumption and associated impacts through efficiency measures, such as water recycling and reuse, and process redesign.  TNFD
Water scarcity	Refers to the volumetric abundance, or lack thereof, of freshwater resources. Scarcity is human driven; it is a function of the volume of human water consumption relative to the volume of water resources in a given area. As such, an arid region with very little water, but no human water consumption would not be considered scarce, but rather arid. Water scarcity is a physical, objective reality that can be measured consistently across regions and over time. Water scarcity reflects the physical abundance of freshwater rather than whether that water is suitable for use. For instance, a region may have abundant water resources (and thus not be considered water scarce), but have such severe pollution that those supplies are unfit for human or ecological uses.  The CEO Water Mandate (2014) Corporate Water Disclosure Guidelines, European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards
Water sources	Water sources include water withdrawn from surface water, groundwater, seawater, produced water and third-party water.  GRI (2018) GRI 303: Water and Effluents
Water stress (areas of)	Water stressed (region): defined in three levels: 25%, below which no water scarcity exists; 60%, indicating approaching scarcity; 75%, above which strong water scarcity is identified. Anything above the 60% figure, approaching scarcity, is considered 'water stressed.  Adapted from UN Water (2021) Summary Progress Update 2021: SDG 6 — water and sanitation for all
Water withdrawal	The sum of all water drawn into the boundaries of the undertaking from all sources for any use over the course of the reporting period.  European Commission (2023) Annex 2 to the Commission Delegated Regulation, supplementing Directive 2013/34/EU as amended by Directive 2022/2464 (CSRD), as regards sustainability reporting standards





Term	Definition
Wild species	Refers to populations of any native species that have not been domesticated through multigenerational selection for particular traits, and which can survive independently of human intervention that may occur in any environment. This does not imply a complete absence of human management and recognises various intermediate states between wild and domesticated.  Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services (2022) IPBES Sustainable Use of Wild Species Assessment, Chapter 1
Yield (in agriculture)	Intensity of production per unit of land area. It is defined as the amount of product produced in a year divided by the amount of land occupied by that product. For crops, it refers to the amount produced divided by the harvested area. For livestock products, it refers to the amount produced divided by the total area needed for livestock production (both to house the animals and to produce the crop- and/or pasture-based animal feeds).  Science Based Targets Network (2023) SBTN Glossary of Terms

